

Ramsar
Handbooks
4th edition

Handbook 10

Water allocation and management





About the Convention on Wetlands

The Convention on Wetlands (Ramsar, Iran, 1971) is an intergovernmental treaty whose mission is “the conservation and wise use of all wetlands through local, regional and national actions and international cooperation, as a contribution towards achieving sustainable development throughout the world”. As of October 2010, 160 nations have joined the Convention as Contracting Parties, and more than 1900 wetlands around the world, covering over 186 million hectares, have been designated for inclusion in the Ramsar List of Wetlands of International Importance.

What are wetlands?

As defined by the Convention, wetlands include a wide variety of habitats such as marshes, peatlands, floodplains, rivers and lakes, and coastal areas such as saltmarshes, mangroves, and seagrass beds, but also coral reefs and other marine areas no deeper than six metres at low tide, as well as human-made wetlands such as waste-water treatment ponds and reservoirs.

About this series of handbooks

This series has been prepared by the Secretariat of the Convention following the 7th, 8th 9th, and 10th meetings of the Conference of the Contracting Parties (COP7, COP8, COP9 and COP10) held, respectively, in San José, Costa Rica, in May 1999, Valencia, Spain, in November 2002, Kampala, Uganda, in November 2005, and Changwon, Republic of Korea, October-November 2008. The guidelines on various matters adopted by the Parties at those and earlier COPs have been prepared as a series of handbooks to assist those with an interest in, or directly involved with, implementation of the Convention at the international, regional, national, subnational or local levels. Each handbook brings together, subject by subject, the various relevant guidances adopted by Parties, supplemented by additional material from COP information papers, case studies and other relevant publications so as to illustrate key aspects of the guidelines. The handbooks are available in the three working languages of the Convention (English, French, and Spanish).

The table on the inside back cover lists the full scope of the subjects covered by this handbook series at present. Additional handbooks will be prepared to include any further guidance adopted by future meetings of the Conference of the Contracting Parties. The Ramsar Convention promotes an integrated package of actions to ensure the conservation and wise use of wetlands. In recognition of these integrated approaches, the reader will find that within each handbook there are numerous cross-references to others in the series.

**Copyright © 2010, Ramsar
Convention Secretariat**

Citation: Ramsar Convention Secretariat, 2010. *Water allocation and management: Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands*. Ramsar handbooks for the wise use of wetlands, 4th edition, vol. 10. Ramsar Convention Secretariat, Gland, Switzerland.

Reproduction of material from this publication for educational and other non-commercial purposes is authorized without prior permission from the Ramsar Secretariat, providing full acknowledgement is given.

Series Editor: Dave Pritchard
Series Supervisor: Nick Davidson
Design and layout: Dwight Peck

Cover photo: Tonle Sap lake,
Cambodia (Taej Mundkur)

Handbook 10

Water allocation and management

Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands



This 4th edition of the Ramsar Handbooks replaces the series published in 2007. It includes relevant guidance adopted by several meetings of the Conference of the Parties, in particular COP7 (1999), COP8 (2002), COP9 (2005), and COP10 (2008), as well as selected background documents presented at these COPs.

Acknowledgements

The *Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands* in Section I of this Handbook were prepared by the Scientific and Technical Review Panel's Expert Working Group on Allocation and Management of Water for Maintaining Ecological Functions. A draft of the Guidelines was prepared by Mike Acreman of the UK's Centre for Ecology and Hydrology. The information paper on processes, strategies and tools for allocation and management of water was prepared for the 8th meeting of the Conference of the Contracting Parties (2002) on behalf of the STRP by Heather MacKay (then of the Living Waters Foundation, South Africa), Mike Acreman, and Geoff Cowan (Department of Environment Affairs and Tourism, South Africa). Financial support generously provided by the government of the United States of America contributed to the preparation of the materials in this Handbook.

All Resolutions of the Ramsar COPs are available from the Convention's Web site at www.ramsar.org/resolutions. Background documents referred to in these handbooks are available at www.ramsar.org/cop7-docs, www.ramsar.org/cop8-docs, www.ramsar.org/cop9-docs, and www.ramsar.org/cop10-docs.



The productivity of Tonle Sap lake in Cambodia can be protected by maintaining the regular hydrological regime of the Mekong River and protecting the habitats in the surrounding inundated plain. *Photo: Taej Mundkur.*

Table of Contents

Acknowledgements	2
Getting the most out of this Handbook	4
Foreword	5
Section I: Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands	7
Introduction	7
Principles	8
Operationalising the principles	11
The decision-making framework	11
The process for determining water allocations	12
Tools and methods	14
Implementation	16
Conclusions	17
Section II: Allocation and management of water for maintaining wetland ecosystem functions: processes, strategies and tools	19
1. Introduction	20
2. Wetland ecosystems and their functions in the context of water resources management	21
3. Managing water for wetland ecosystems	23
4. Decision-making processes	26
5. Tools for determining water allocations for wetland ecosystems	35
6. Development of strategies for implementation of water allocations to wetland ecosystems	45
7. Management tools for the implementation of water allocations to wetland ecosystems	48
Relevant Resolution	
Resolution VIII.1: <i>Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands</i>	58

Getting the most out of this Handbook

The Handbooks in general

The purpose of the Ramsar Handbooks is to organize guidance material from relevant decisions adopted by the Contracting Parties over the years, according to subject themes. This helps practitioners to implement the internationally-agreed best practice in a way that is convenient to handle and more naturally matches their own everyday working environment.

The intended readership includes national and local staff of the government departments, ministries and agencies that act as Administrative Authorities for the Ramsar Convention in each country. Equally important users in many cases are managers of individual wetland areas, as some aspects of the guidance relate specifically to site management.

The Ramsar guidance has been adopted by member governments as a whole, and increasingly it addresses itself to the crucial roles of other sectors beyond the “environment” or “water” sectors. It is thus very important that these Handbooks should be used by **all** whose actions may benefit from or impact upon the wise use of wetlands.

A vital first step in each country therefore is to ensure adequate **dissemination** of these Handbooks to all who need or can benefit from them. Copies are freely available in PDF format from the Ramsar Secretariat in three languages on CD-ROM or by download from the Convention website (www.ramsar.org).

Other early steps would be, in each particular context, to **clarify** lines of responsibility and **actively check** how to align the terms used and approaches described with the reader’s own jurisdiction, operating circumstances, and organizational structures.

Much of the text can be used in a **proactive sense**, as a basis for framing policies, plans and activities, sometimes by simply importing relevant sections into national and local materials. It can also be used in a **reactive sense** as a source of help and ideas for responding to problems and opportunities, navigating subjects by the need of the user.

Cross-references, original sources, and further reading are liberally cited: the Handbooks will often not be the “last word”, but they provide a helpful “route-map” to further sources of information and support.

Strategic direction in the Ramsar Convention is provided by the Strategic Plan, the latest version of which was adopted by COP10 in 2008 for the period 2009-2015. All thematic implementation frameworks, including the Handbooks, sit within the context of the goals and strategies of this Plan and the priorities it highlights for the period covered.

In this fourth edition of the Handbooks, additions to and omissions from the text of the original guidelines, required by the results of COP8, COP9 and COP10, are shown in square brackets [...]. The Handbook series is updated after each meeting of the Conference of the Parties, and feedback on user experience is always appreciated in helping to refine each new edition.

This Handbook (Water allocation and management)

Strategy 1.7 of the Plan concerns Integrated Water Resources Management, and the Key Result Areas to be achieved for this Strategy by the year 2015 include 1.7.i: “All Parties to have made available the Ramsar guidance on water allocation and management for ecosystems to support decision-making on water resource management, as a contribution to achieving the WSSD target on water resources management and water efficiency plans”.

The text in this Handbook is drawn mainly from Resolution VIII.1 and its Annex, and the substance of it thus reflects formal decisions adopted by the Conference of Contracting Parties. The Handbook also brings together an information paper and other resource materials relevant to the issue of wetland and water management. The views expressed in these additional materials do not necessarily reflect the views of the Ramsar Secretariat or the Contracting Parties, and such additional materials have not been endorsed by the Conference of the Parties.

Foreword

The preambular text of the Convention on Wetlands (Ramsar, Iran, 1971) recognizes the “fundamental ecological functions of wetlands as regulators of water regimes and as habitats supporting a characteristic flora and fauna.” Furthermore, Article 2.2 of the Convention, concerning the designation of Wetlands of International Importance, indicates that wetlands should be selected for the List for, inter alia, their international significance in terms of hydrology.

The Convention has increasingly recognized not only that wetlands play a vital role in the hydrological cycle, but that to secure their conservation and wise use it is essential that they be managed in the wider context of basin-scale and water resource management. The links between water and wetlands are fundamental. Wetlands are ‘water providers’, processing and purifying water. They are also ‘water users’: they need a certain amount of water input if they are to continue to supply the water output, not to mention the many other services and products they provide for humans. And wetlands typically perform many functions that could be described as purification of water, so much so that artificial wetlands are now being created for just this purpose. The challenge is to find ways of securing appropriate allocations of water to wetlands in the face of increasing water demand and diminishing water supply through over-abstraction and the effects of increasingly prolonged droughts and desertification in many parts of the world.

In 1996, at the 6th Meeting of the Conference of the Contracting Parties (COP6), the Convention formally identified the need to integrate wetlands into river basin management through Resolution VI.23 on Ramsar and water, which recognized “the important hydrological functions of wetlands, including groundwater recharge, water quality improvement and flood alleviation, and the inextricable link between water resources and wetlands”. The Resolution also emphasized “the need for planning at the river basin scale which involves integration of water resource management and wetland conservation”.

The Convention’s first Strategic Plan, for 1997-2002, also addressed the issue of water and wetlands and urged the Contracting Parties “to integrate conservation and wise use of wetlands into decision-making on land use, groundwater management, catchment/river basin and coastal zone management”. In the Strategic Plans for 2003-2008 and 2009-2015 further stress is placed on the need to integrate wetland wise use into sustainable development, through increasing recognition of the significance of wetlands for reasons of water supply and flood defence, among others. Attention is also drawn to the need to integrate policies on the conservation and wise use of wetlands into the planning activities in all Contracting Parties, through decision-making processes at national, regional, provincial and local levels, particularly targeting:

- territorial management,
- groundwater management,
- catchment/river basin management,
- coastal and marine zone planning, and
- responses to climate change.

The Guidelines for integrating wetland conservation and wise use into river basin management (updated version now available in Ramsar Handbook 9, 4th edition) were endorsed by Ramsar COP7 (1999) through Resolution VII.18, which recognized that further, more specific, guidance for Contracting Parties was needed on:

- issues concerning wetlands and water management, specifically on the findings of the World Commission on Dams, and
- the preparation of a review of the current state of knowledge, and guidance, on the allocation and management of water to maintain wetland ecosystem functions.

The materials in this Handbook were prepared by the Convention's Scientific and Technical Review Panel (STRP) in response to that Resolution VII.18. Section I contains Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands, adopted by the Contracting Parties as the Annex to Resolution VIII.1 at COP8 (2002). Section II consists of a technical Information Paper provided to Parties at COP8 which focuses on processes, strategies and available tools for determining and implementing water allocations to wetland ecosystems. It includes a number of case studies illustrating different aspects of water allocation and management.

Whilst this Handbook is primarily intended for use by Contracting Parties to the Ramsar Convention, it will be of use to all governments involved in the planning, decision-making, and implementation of water allocations. Indeed, Resolution VIII.1 strongly urges all Contracting Parties to bring the Guidelines and background paper to the attention of their national ministries and/or agencies responsible for water resource management. In order that the principles contained in the Ramsar Guidelines will be incorporated into national policies on water and on wetlands, it further suggests encouraging these bodies to apply the guidance to ensure appropriate water allocation and management, such that the ecological functions of wetlands in their territory are maintained.

In addition to Resolution VIII.1, Contracting Parties at COP8 adopted several other Resolutions directly relevant to the linkage between wetlands and water management, notably Resolution VIII.2 on The Report of the World Commission on Dams (WCD) and its relevance to the Ramsar Convention, Resolution VIII.34 on Agriculture, wetlands and water resource management, Resolution VIII.35 on The impact of natural disasters, particularly drought, on wetland ecosystems, and Resolution VIII.40 on Guidelines for rendering the use of groundwater compatible with the conservation of wetlands. All of these Resolutions emphasize the need to maintain water allocations to wetlands so that they can continue to provide their full range of values and functions for people and for biological diversity.

In recognition of the great importance of addressing issues of water management through the Convention on Wetlands, COP8 requested the STRP to develop further reviews and guidance for Contracting Parties. In its April 2003 review of key future strategic issues for the Convention, the STRP identified the need to include water quality issues in its future agenda, and to develop a "Strategy for mainstreaming Ramsar issues within the water sector". A number of additional guidelines and conceptual frameworks were subsequently developed by the STRP and adopted by the Parties in the Annexes to Resolution IX.1 at COP9 (2005), with guidance on integrating wetland conservation and wise use into river basin management being updated and consolidated at COP10 (2008) in the Annex to Resolution X.19 (see Handbooks 8 and 9, 4th edition).

Section I

Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands

(adopted as the Annex to Resolution VIII.1 by the 8th Conference of the Contracting Parties, Valencia, Spain, 2002)

Relevant implementation commitments made by Contracting Parties in COP Resolutions and Recommendations

Resolution VIII.1: Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands

7. RECOGNIZING the vital contribution made by wetlands on many occasions to ensure the allocation of water required for human well-being, including food and water security, and in flood control and poverty alleviation; but ALSO AWARE of the increasing demands being placed upon freshwater resources in many parts of the world and the threat this poses for maintaining wetland ecosystem functions and their biodiversity;

THE CONFERENCE OF THE CONTRACTING PARTIES

16. STRONGLY URGES all Contracting Parties to bring the Guidelines for allocation and management of water for maintaining the ecological functions of wetlands and the additional guidance on tools and methodologies to the attention of their national ministries and/or agencies (at different levels of territorial organization) responsible for water resource management, to encourage these bodies to apply the guidance in order to ensure appropriate allocation and management of water for maintaining the ecological functions of wetlands in their territory, and to ensure that the principles contained in the Ramsar Guidelines are incorporated into their national policies on water and on wetlands;
17. FURTHER URGES Contracting Parties to include representatives of national water management ministries and/or agencies in the membership of their National Ramsar/Wetland Committees;
18. ENCOURAGES Contracting Parties with wetlands lying in shared river basins to work cooperatively to apply the Guidelines for allocation and management of water for maintaining the ecological functions of wetlands within the context of the management of water allocations in transboundary basins, making use of the Ramsar Guidelines for international cooperation under the Convention (Resolution VII.19).

Introduction

1. Wetland ecosystems are adapted to the prevailing hydrological regime. The spatial and temporal variation in water depth, flow patterns and water quality, as well as the frequency and duration of inundation, are often the most important factors determining the ecological character of a wetland. Coastal and marine wetlands are often highly dependent on inputs of freshwater and associated nutrients and sediments from rivers.
2. Impacts on wetlands can be caused both by human activities within them and, because of the interconnectedness of the hydrological cycle, by activities that take place within the wider catchment. Human modification of the hydrological regime, by removing water (including groundwater) or altering fluxes, can have detrimental consequences for the integrity of wetland ecosystems. Insufficient water reaching wetlands, due to

abstractions, storage and diversion of water for public supply, agriculture, industry and hydropower, is a major cause of wetland loss and degradation. A key requirement for wetland conservation and wise use is to ensure that adequate water of the right quality is allocated to wetlands at the right time.

3. Many river basin authorities and water agencies have insufficient appreciation of the socio-economic values and benefits provided by wetlands in terms of their productivity, e.g. fisheries and livestock grazing, and their social importance.
4. There is generally a lack of awareness of the wide variety of services that wetlands can provide, including flood reduction, resource management, and water quality improvement, and of the fact that they can be a very positive asset at the disposal of water managers. As a consequence, wetlands frequently do not receive due consideration in water allocation decisions. In contrast to this view, the Ramsar Convention on Wetlands promotes the principle that wetland ecosystems are an integral component of the global water cycle from which water resources are derived.
5. To maintain the natural ecological character¹ of a wetland, it is necessary to allocate water as closely as possible to the natural regime. The ecological character of many wetlands has adapted to past alterations of the water regime, yet they still provide important goods and services. A key step in any wetland conservation strategy is to define the desired ecological character of the most important wetlands. In any water allocation decision, it is then necessary to quantify the critical water needs of the wetlands, beyond which their ecological character will change in an unacceptable manner.
6. The following principles and guidelines aim to support improved allocation of water to wetlands so that they receive adequate water for maintaining the provision of their goods and services. The text is in two parts: 1) basic principles; and 2) guidelines for their operationalisation. The guidelines are further divided into four areas: a) decision-making, including policy and legislation; b) the process for determining water allocations; c) [= amendment made for internal consistency - see earlier note on this] tools and methods; and d) implementation.

Principles

7. Through the Dublin Principles adopted by the 1992 Dublin International Conference on Water and the Environment, the international community has, at the highest political level, affirmed the notion that water is an integral part of ecosystems, and that it is a social and economic good whose quantity and quality should determine the nature of its utilization.

¹ The Conference of the Parties of the Ramsar Convention has defined *ecological character* as “the sum of the biological, physical and chemical components of the wetland ecosystem and their interactions which maintain the wetland and its products, functions and attributes” (Resolution VII.10). [At COP9 Parties adopted Resolution IX.1 Annex A which re-defined ecological character as “ the combination of the ecosystem components, processes and benefits/services that characterise the wetland at a given point in time”; see also Handbook 1, *Wise Use*, 4th edition]

8. In recent years the concept of integrated water resources management (IWRM) has come to the fore as a strategy to implement the Dublin Principles. IWRM is defined as “a process that promotes the coordinated development and management of water, land and related resources, in order to maximise the resultant economic and social welfare in an equitable manner, without compromising the sustainability of vital ecosystems”.² A key element of IWRM is that river basins (also referred to as catchments or watersheds) are usually the most appropriate physical entity on which to plan the management of water. Given the important hydrological and ecological functions of wetlands, it is essential that they be explicitly incorporated into river basin management.³
9. To ensure consistency with the international development agenda, the following seven guiding principles have been defined not only through analysis of previous policy documents of the Convention on Wetlands, but also by reference to principles developed by other international organizations and initiatives.
10. The principles are:
 - 10.1 **Sustainability as a goal.** Adequate water has to be provided to wetlands to sustain the functioning of these ecosystems, respecting their natural dynamics for the benefit of future generations. Where water requirements are not known, or where the impact of reducing water allocation to wetlands is unclear, the precautionary approach⁴ should be applied. The wetland ecosystem is the resource base from which water is derived. It should be managed to protect the resource base in order to provide goods and services in a sustainable manner. This requires sufficient water allocation to maintain wetland ecosystem structure and function. This is directly compatible with the “wise use” concept embodied in the Ramsar Convention, which has been defined by the Conference of the Parties as “the sustainable utilisation of wetlands for the benefit of mankind in a way compatible with the maintenance of the natural properties of the ecosystem”.
 - 10.2 **Clarity of process.** The process by which decisions are made on the allocation of water should be clear to all stakeholders. Water allocation has often been a contentious issue and this is likely to increase in future as competing demands rise and available water resources may diminish due, *inter alia*, to climatic change. In many cases stakeholders have not understood why a particular allocation decision was made, leading to suspicion and mistrust of decision-makers. Whilst it will not be possible to please all stakeholders in any water allocation decision, by ensuring a transparent process in the decision-making the outcome can often be less contentious and more acceptable.

2 Global Water Partnership 2000. *Towards water security: a framework for action*. GWP, Stockholm, Sweden.

3 See Ramsar Wise Use Handbook [9, 4th edition], *River basin management*].

4 The precautionary approach, as set out in Principle 15 of the 1992 Rio Declaration, states that: “In order to protect the environment, the precautionary approach shall be widely applied by States according to their capabilities. Where there are threats of serious or irreversible damage, lack of full scientific certainty shall not be used as a reason for postponing cost-effective measures to prevent environmental degradation.”

- 10.3 **Equity in participation and decision-making factors.** There should be equity for different stakeholders in their participation in water allocation decisions. There should also be equity in the factors that are considered in decision-making, including the functions, products and attributes of wetlands. Decision-making is often a complex process requiring consideration of many factors and competing demands. Some water users may feel that their requirements have been given less weight than others. Whilst weightings may be applied to different demands for legal or policy reasons, no demand should be ignored. In any decision, ecological and social issues should be considered equally with economic considerations.
- 10.4 **Credibility of science.** Scientific methods used to support water allocation decisions should be credible and supported by review from the scientific community. Science must be based on appropriate hydrological and ecological data, including adequate baseline ecosystem records. The best available knowledge and science should be employed, which should be updated as better knowledge becomes available from research and monitoring. However, lack of perfect knowledge should not be used as an excuse for inaction. The precautionary approach⁴ should be applied.
- 10.5 **Transparency in implementation.** Once procedures for water allocation decisions have been defined and agreed, it is important that they be seen to be implemented correctly. This requires a transparent implementation processes, so that all interested parties can follow the choices made at each step, have access to information on which they are based, and recognize agreed procedures.
- 10.6 **Flexibility of management.** Like many ecosystems, wetlands are characterized by complexity, changing conditions, and uncertainty. It is essential that an adaptive management strategy be adopted, which requires plans that can be changed as new information or understanding comes to light.
- 10.7 **Accountability for decisions.** Decision-makers should be accountable. If agreed procedures are not followed or subjective decisions can be shown to be contrary to the spirit of the above principles, decision-makers should provide a full explanation. Stakeholders should have recourse to an independent body if they feel that procedures have not been followed.

Operationalising the principles

11. The guidelines that follow provide for specific actions that should be undertaken to operationalise the seven guiding principles set out above. They are presented in four sections – a) the decision-making framework, including policy and legislation; b) the process for determining water allocations; c) scientific tools and methods; and d) implementation. Further supporting information can be found in the Ramsar Wise Use Handbooks.

The decision-making framework

See also Handbooks 2, National Wetland Policies, and 3, Laws and institutions

12. In order to make decisions on water allocations for wetland ecosystems, an enabling policy environment is required⁵, supported by adequate and appropriate legal tools⁶, which clarify the legal status of water and water allocations, and by a framework for assessing the merits of different allocation options (Box A).

See also Ramsar Technical Report 3, Valuing wetlands

13. Economic valuation provides a potential decision-support framework, as indicated in Resolution VI.23 and Operational Objective 2 in Section II of the Convention's Strategic Plan 2003-2008⁷ (Box B). It should be noted, however, that there are various forms of economic valuation: the multi-criteria analysis is recommended for application to water allocation issues because it permits evaluation of ecological and social, as well as economic, criteria.

See also Handbook 6, Wetland CEPA

14. In addition, in order to ensure that water allocation issues are addressed within wetland policy development legislation and economic valuation frameworks, there is a need to build public awareness of the value of ecosystem services and ecosystem health⁸. In this way, policies, legislation, and decisions that support the allocation of water to wetlands will be better understood and more readily accepted.
15. A key element in water allocation is the involvement of stakeholders in the decision-making process. This involvement should include establishing a forum, such as a working group, to enable interaction and conflict resolution. The implementing agency needs to establish a multi-disciplinary team and to open an information centre that holds all reports and data with open access.
16. Through stakeholder participation the various water uses and users within the catchment should be defined along with the objectives for water allocation, which should include the desired ecological character of wetlands. Objectives for water allocations to wetlands may be primarily ecological or may be related to wise use practices, such as fishing or livestock grazing. Management problems should be phrased in quantifiable terms⁹.

⁵ See Ramsar Wise Use Handbook 2, [National wetland policies, 4th edition].

⁶ See Ramsar Wise Use Handbook 3, [Laws and institutions, 4th edition].

⁷ See also Barbier, E.B., Acreman, M.C., and Knowler, D. 1996. *Economic valuation of wetlands: a guide for policy makers and planners*. Ramsar Convention [Secretariat], Gland, Switzerland; [and de Groot, R., Stuij, M., Finlayson, M., and Davidson, N. 2006. *Valuing wetlands: Guidance for valuing the benefits derived from wetland ecosystem services*. Ramsar Technical Report No. 3/CBD Technical Series No. 27. Ramsar Convention Secretariat, Gland, Switzerland.]

⁸ See Ramsar Wise Use Handbook [6, Wetland CEPA, 4th edition].

⁹ See *New Guidelines for management planning for Ramsar sites and other wetlands*, Resolution VIII.14, [incorporated in Handbook 18, *Managing Wetlands*, 4th edition].

Box A: Guidelines related to policy and legislation on water allocations for wetland ecosystems

Taking cognizance of the *Guidelines for developing and implementing National Wetlands Policies*, adopted by Resolution VII.6, the *Guidelines for reviewing laws and institutions to promote the conservation and wise use of wetlands*, adopted by Resolution VII.7, and the *Guidelines for establishing and strengthening local communities' and indigenous people's participation in the management of wetlands*, adopted by Resolution VII.8:

- A.1 Review water policy and legislation in order to establish clearly the legal status and priority of water allocations for wetland ecosystems in relation to water allocations for other uses.
- A.2 Harmonize environmental and water policy and legislation to ensure consistency with regard to the principles and approach to determination of water allocations for wetland ecosystems.
- A.3 Clearly identify, in policy and legislation, the responsibilities of different ministries and resource management agencies in the determination and implementation of water allocations for wetland ecosystems.
- A.4 Research and document customary law and practices relating to water resource management in order to incorporate these, where appropriate, into formal decision-making processes for managing water allocations to wetland ecosystems.
- A.5 Establish minimum standards to be applied to new and existing water infrastructure to minimise environmental impacts including, *inter alia*, capacity to release environmental water allocations, thermal pollution mitigation devices, and fish passage.

Box B: Guidelines related to valuation of wetland ecosystems

- B.1 Create awareness about the values of the goods and services provided by wetland ecosystems, and incorporate the valuation of these goods and services into water resources planning.
- B.2 Define a framework, such as multi-criteria analysis, that allows evaluation of all social, cultural and ecological values of wetlands, as well as economic values.
- B.3 Develop economic tools to enable evaluation of the use of water to support wetland ecosystem services, for comparison with the value of alternative uses such as industrial and public supply, intensive irrigation and power generation.

The process for determining water allocations

- 17. Once the frameworks related to policy, legislation and decision-making have been established, a process for determining water allocations should be defined, encompassing the concepts outlined in the guidance above.
- 18. Clearly stated and measurable goals and objectives should be defined, and explicit outcomes identified. All wetlands that may be affected by allocation decisions should be identified and the goods and services they provide

should be determined, as part of the definition of their ecological character. Potential steps in this process are outlined in Box C.

Box C: A sample process for determining water allocation

- C.1 Establish roles and responsibilities of stakeholders.
- C.2 Set up an inter-disciplinary team.
- C.3 Create a forum for stakeholder interaction.
- C.4 Establish a forum for interaction and conflict resolution.
- C.5 Establish an information centre with open access to data.
- C.6 Define management objectives for water allocation, including the desired ecological character of wetlands.
- C.7 Identify the wetlands that may be affected by allocation decisions and determine the goods and services they provide (which will be part of their ecological character).
- C.8 Establish wetland monitoring (if not already in place) and collect sufficient data.
- C.9 Define water needs of wetlands and evaluate the goods and services they provide.
- C.10 Make decisions supported by the knowledge of the benefits of water allocation to wetlands.
- C.11 Define water allocation, implement and monitor.

19. Tools should be developed to define the water needs of wetlands, the goods and services they provide, and to evaluate their benefits to society. Tools are only as good as the data upon which they are based, so it is essential to establish adequate monitoring of the hydrology and ecology of the wetlands, if this is not already in place.
20. When planning the water requirements of a wetland, historical patterns of flow, groundwater fluxes, and rainfall, and their inter-annual variability, should be examined closely to determine their role in sustaining native biota/habitats. This information is essential if wetlands are to be considered appropriately in water allocation decisions. Planning should also consider 'dry' periods when wetlands should naturally receive low or no water flows. The quality of water required to maintain the ecology of wetlands, including the appropriate temperature of water released from dams, should also be identified.
21. When the decisions have been made and implemented, wetlands should be monitored to record any decline or loss of goods and services. If such a decline or loss is detected, remedial measures should be taken, where feasible.
22. In catchments with existing dams, or where dams are planned, explicit consideration should be given to changes in the priority of water uses and the provision of environmental flow releases to meet specific downstream

ecosystem and livelihood requirements. In some cases “managed flood releases” designed to overtop river banks and supply floodplain wetlands and/or coastal deltas may be necessary.

Box D: Guidelines related to environmental flow assessment downstream of dams

- D.1 Make use, as appropriate, of available guidelines and information (including information contained in the report of the World Commission on Dams) on incorporating social, environmental (including biological diversity), technical, economic, and financial issues in the processes of decision-making for water and energy development and management of water allocations for wetland ecosystems.
- D.2 Encourage the determination of water allocations for wetland ecosystems as an integral part of the impact assessment process for water resource projects.
- D.3 Encourage launching baseline ecosystem assessments for water resources where projects are currently in the planning phase in order to ensure that the necessary basic data will be available to support the environmental impact assessment process, the determination of water allocations for wetland ecosystems, and the development of effective mitigation measures when necessary.

See also [Resolution X.17, *Environmental Impact Assessment and Strategic Environmental Assessment: updated scientific and technical guidance*, incorporated in Ramsar Handbook 16, 4th edition]

Tools and methods

- 23. Three types of tools are required:
 - a) tools to achieve stakeholder participation in the definition of the desired status of wetlands and their acceptance of the process for water allocation;
 - b) physical-biological scientific tools capable of quantifying the goods and services provided by wetlands, as well as of predicting the impacts of changes in water availability on these goods and services; and
 - c) tools to evaluate the benefits derived by societies from the goods and services provided by wetlands.
- 24. Whilst some generic tools may be available, these may need to be developed further or adapted to local requirements. A range of tools is likely to be needed to cope with different resolutions (temporal and spatial) and different levels of expectations. [Further information will be provided in the forthcoming Ramsar Technical Report *Reviews of environmental flow methodologies*].
- 25. For allocation issues where impacts are likely to be low, rapid and simple methods can be adopted. In addition, it may be acceptable to transfer knowledge from other wetlands, including water requirements of species. However, for contentious issues that need to stand up to detailed scrutiny (such as at a public inquiry) more detailed tools, such as hydro-ecological


Additional information

Environmental Flows

The problems of ensuring the equitable allocation of water amongst many competing potential users require thoughtful, multi-sectoral solutions. IUCN and its Water and Nature Initiative have published an excellent guide to “environmental flows” -- the “water regimes provided within a river, wetland or coastal zone to maintain ecosystems and their benefits where there are competing water uses and where flows are regulated”.

Flow: the essentials of environmental flows is a 118-page softcover book, edited by Megan Dyson, Ger Bergkamp, and John Scanlon, that aims to “set out the way to ensure the long-term prosperity and health of river basins throughout the world”. The methodology of environmental flows requires the integration of a range of disciplines, including engineering, law, ecology, economy, hydrology, political science and communication. It also requires negotiations between stakeholders to bridge the different interests that compete for the use of water, especially in those basins where competition is already fierce. Accordingly, the new book provides a thorough overview of the concepts and issues involved in applying the environmental flows approach. Chapters cover:

1. **Getting started:** an introduction to the concepts and the need both for an integrated, multisectoral approach and for clear objectives and scenarios
2. **Defining water requirements:** existing methods for assessing stakeholder needs and determining optimum environmental flows
3. **Modifying water infrastructure:** adjusting existing infrastructure, constructing new dams if necessary, decommissioning as an option
4. **Covering the cost:** costs and benefits of various scenarios, justifying the need for additional financing, modifying existing incentives
5. **Creating a policy and legal framework:** critical need for domestic legislation and policy, international agreements (including the Ramsar Convention) as a basis for national laws and policies
6. **Generating political momentum:** involving a range of actors, use of communications and the media
7. **Building capacity for design and implementation:** identifying gaps in public awareness and technical capacities, strategies for raising awareness and knowledge



Useful charts and tables and apt illustrations, as well as numerous case studies, contribute to making *Flow* a clear, easy-to-read introduction to this important subject.

Flow: the essentials of environmental flows is available for download in PDF format from <http://cmsdata.iucn.org/downloads/flow.pdf>.

response models, may be required. This situation will also need more detailed data to be collected from the wetlands that may be impacted.

26. Each tool will need to be tested for its performance and applicability in a range of local case studies. The applications of tools to water allocation cases should also be monitored in order to refine and improve the methods. In many cases, basic research will be necessary to establish the preferences and tolerances of local species.

Box E: Guidelines related to determination of water allocations for a particular wetland ecosystem

- E.1 Undertake studies to identify the habitat preferences (hydraulic, physico-chemical and geomorphological) of representative indigenous species at key life stages, and their tolerances of changes in habitat.
- E.2 Undertake baseline surveys in wetland ecosystems where water allocations are to be determined, in order to establish their ecological character, hydrological conditions (natural and present-day), water quality conditions (background and present-day), and geomorphological conditions.
- E.3 Design and implement appropriate ecological and hydrological monitoring programmes to establish whether water allocations for wetland ecosystems are being delivered and whether they are having the desired ecological effects.
- E.4 Identify wetland ecosystems which require a high level of protection (including those listed or proposed for listing as Wetlands of International Importance) or which are linked ecologically or hydrologically to Ramsar sites, and determine and implement water allocations for these ecosystems as a matter of priority.
- E.5 Develop or adapt locally applicable tools and test their applicability.
- E.6 Monitor application of tools and refine them as appropriate.

See also Handbook 18, Managing wetlands.

Implementation

27. A long-term strategy or plan should be established to manage water demand so as to achieve water allocations for ecosystems. Water allocations may be achieved in a variety of ways, including flow releases from reservoirs or restrictions to abstraction. In some cases, pumping from groundwater may also be used to augment stream flow. Groundwater extractions to supplement stream flows to wetlands should only be supported where such extraction does not significantly impact on other water-dependent ecosystems and their values.
28. Flows should normally follow the natural regime as closely as possible to maintain the natural ecology. This may be achieved by relating the magnitude, duration and timing of releases or abstractions to flows in nearby unregulated reference catchments, which will require real-time monitoring. Special abstraction/release rules should be defined for droughts, floods, and emergency situations. In cases where the dominant use of the wetland is farming (e.g., flood recession agriculture), flows may be tailored

for specific requirements such as following the planting of rice on the floodplain.

29. Effective communication mechanisms should be established with all stakeholders for exchange of real-time information about releases and flow patterns.
30. Management of water quality also needs to follow natural processes and mechanisms as far as possible. Water quality varies naturally according to the source and anthropogenic impacts, such as discharges. Water released from a reservoir may be of different quality to that of the natural river (e.g., colder and lower in oxygen), so outlet structures should be designed to reduce such impacts.
31. It is important to monitor compliance with water allocations and to ensure appropriate actions and responses. Where necessary, management strategies should be adapted in the light of monitoring and evaluation.


Box F: Guidelines related to implementing water allocations to wetlands

- F.1 Establish a long-term strategy or plan to manage water demand so as to achieve water allocations for wetland ecosystems.
- F.2 Allocate water as closely as possible to the natural regime (of both wetter and drier periods), using natural cues from reference catchments or to meet specific use requirements.
- F.3 Establish operating rules for droughts, floods, and emergency situations when rapid decisions may need to be made.
- F.4 Establish how existing infrastructure can be modified so as to release appropriate water allocations and water of appropriate quality, and ensure that new infrastructure meets this requirement.
- F.5 Disseminate real-time information about releases/flow patterns to stakeholders.
- F.6 Monitor compliance with water allocations and ensure appropriate actions/responses.
- F.7 Adapt management strategies in the light of monitoring and evaluation.

Conclusions

32. Wetland ecosystems are an integral component of the global water cycle from which water resources are derived. Allocating sufficient water to conserve wetlands provides important water resource benefits to people, including products (such as fisheries) and services (such as flood reduction).
33. To conserve wetlands, national policies, legal instruments, and a decision-making framework should be developed in order to promote the allocation of water to wetlands. Additionally, a decision-making process needs to be defined that establishes the desired ecological character of wetlands, which includes the goods and services they provide and the aspiration to conserve this character.

34. The following diagram summarizes the elements of the recommended overall process for the allocation and management of water for maintaining wetland ecosystem functions.



Section II

Allocation and management of water for maintaining wetland ecosystem functions: processes, strategies and tools

Information Paper

Heather MacKay¹⁰, Mike Acreman¹¹ and Geoff Cowan¹² on behalf of the Scientific and Technical Review Panel and its Expert Working Group on Water Allocations and Management

Table of Contents

1. Introduction	20
2. Wetland ecosystems and their functions in the context of water resources management	21
2.1 Regulation	22
2.2 Transport and tourist opportunities	22
2.3 Production	22
2.4 Cultural heritage	23
3. Managing water for wetland ecosystems	23
4. Decision-making processes	26
4.1 Law- and policy-based processes	26
4.2 Valuation-based processes	33
5. Tools for determining water allocations for wetland ecosystems	35
5.1 Water for ecosystems – concepts and principles	35
5.2 Methodologies for determination of water allocations for wetland ecosystems	40
6. Development of strategies for implementation of water allocations to wetland ecosystems	45
6.1 Considerations to be addressed in implementation strategies	46
6.2 Monitoring and information	47
6.3 The need for an adaptive approach	48
7. Management tools for the implementation of water allocations to wetland ecosystems	48
7.1 Demand-side management	48
7.2 Supply-side management	56

Note: This paper was originally provided as an information document for the 8th meeting of the Conference of the Contracting Parties (COP8), Valencia, Spain, in 2002. It is reproduced here in its original form, except for minor updates on source materials and cross-references. The views expressed by the authors do not necessarily reflect the views of the Ramsar Convention Secretariat and do not form part of the preceding Guidelines which were adopted by COP8.

10 Living Waters Foundation, Johannesburg, South Africa (now Chair of the Ramsar STRP, and based in the USA)

11 Centre for Ecology and Hydrology, Wallingford, United Kingdom

12 Department of Environment Affairs & Tourism, Pretoria, South Africa

1. Introduction

1. This paper provides information and case studies on different aspects of the process of determining appropriate allocations of water to maintain the functioning of wetlands, so that they can continue to provide their many goods and services, including maintenance of their biological diversity, to people.
2. The paper first outlines the importance of wetland functions and their role in the hydrological cycle, as well as the basis of sustainable management of water and wetlands. It then describes various decision-making processes for determining water allocations and the scientific and technical tools for use in applying methodologies for water allocation. Finally it describes implementation options and management tools for achieving appropriate allocations in order to maintain wetland ecosystem functions.
3. Wetland ecosystems are adapted to the prevailing hydrological regime. The spatial and temporal variation in water depth, flow patterns and water quality, as well as the frequency and duration of inundation, are often the most important factors determining the ecological character of a wetland. Coastal and marine wetlands are often highly dependent on inputs of freshwater and associated nutrients and sediments from rivers.
4. Impacts on wetlands can be caused by both human activities within them and, because of the interconnectedness of the hydrological cycle, by activities that take place within the wider catchment. Human modification



Maintaining the natural floodplain in this part of the Morava River in Slovakia ensures the retention and slow release of floodwaters -- and produces rich floodplain grasslands that support non-intensive agriculture and a high biological diversity. *Photo: Viera Stanová.*

of the hydrological regime, by removing water (including groundwater) or altering fluxes, can have major detrimental consequences for the integrity of wetland ecosystems. Insufficient water reaching wetlands, due to abstractions, storage and diversion of water for public supply, agriculture, industry and hydropower, is a major cause of wetland loss and degradation. A key requirement for wetland conservation and wise use is to ensure that adequate water of the right quality is allocated to wetlands at the right time.

5. Many river basin authorities and water agencies have insufficient appreciation of the socio-economic values and benefits provided by wetlands in terms of their role in maintaining the hydrological cycle, their productivity (e.g., fisheries and livestock grazing), and their social importance (e.g., cultural heritage). More crucially, many perceive wetlands only as competing users of water, with high evaporative demand, rather than an essential component of sustainable water management.
6. The allocation of water resources is an important and increasing challenge for society. The particular challenge is to decide how much water, and of what quality, should be reserved for the maintenance of ecosystems through an “environmental flow allocation”, so as to maintain their provision of their range of valuable natural goods and services, and how much water can be allocated for agriculture, industry, and domestic services.
7. To help make this decision, it is essential that the costs and benefits of maintaining ecosystems and their functions be quantified and compared to the costs and benefits of other offshore or indirect uses of water.

2. Wetland ecosystems and their functions in the context of water resources management

8. Ecosystem functions are defined as “the capacity of natural processes and components of natural or semi-natural systems to provide goods and services that satisfy human needs.” These are generally grouped into four types of functions:
 - i) regulation;
 - ii) provision of transport and tourism opportunities;
 - iii) production; and
 - iv) the provision of habitats and cultural attributes¹³.
9. These functions as they relate to wetland ecosystems are summarised below. Since the water allocated for the management of wetland ecosystems is usually intended to maintain or enhance ecosystem functions for the benefit of people, determining which wetland ecosystem functions can and should be maintained in a catchment will determine the nature and extent of the water allocation which is made. For further information on wetland values and functions, see Ramsar’s *Wetland Values and Functions* factsheets (Ramsar Bureau 2001).

¹³ IUCN & WWF (1998). Strategic Approaches to Freshwater Management. Background Paper: The Ecosystem Approach. Commission on Sustainable Development 6th Session, New York 20 April-1 May 1998.

2.1 Regulation

10. Wetlands are important regulators of water quantity and water quality. Several types of wetlands are known to act as hydrological buffers, reducing peak flood flows and volumes through retention of water in surface and groundwater storage, and reducing the risks of flood damage downstream. Maintenance of natural hydrological buffering capacity also provides for greater reliability of instream flows during dry periods – this can be extremely important for people who are reliant on subsistence irrigation farming.
11. Wetland ecosystems are able to assimilate some biodegradable waste products, providing important treatment capabilities for substances such as excess nutrients and sediments, and improving water quality for downstream users. Some wetlands trap toxic pollutants such as heavy metals, which can later be removed for safe disposal, if necessary. The value of these services may be considerable, since technical means of regulating water quantity and maintaining water quality can often be much more expensive than the costs of retaining natural wetland ecosystem functions.
12. Wetlands and associated ecosystems also regulate the hydrological cycle through taking up water and releasing it into the atmosphere. For example, in the Amazon rainforest, 50% of rainfall is derived from local evapotranspiration. If the forest cover is removed, the area can become hotter and drier because water is no longer cycled between the plants and the atmosphere. This can lead to a positive feedback cycle of desertification, with an increasing amount of local water resources being lost. The cycling of water through the forests, including forested wetlands, is an important service for regulating both local and global climate and maintaining local water resources.

2.2 Transport and tourism opportunities

13. Wetland ecosystems provide opportunities for tourism through recreation, cultural and aesthetic experience, and reflection. Recreational uses include water sports, fishing, hunting, bird watching, and photography. Since tourism is a leading world business, the economic value of these can be considerable, and the potential of wetlands and their often spectacular wildlife for ecotourism is increasingly being recognized. Maintaining the wetlands and capitalising on these uses, which can bring income to local communities, can be a valuable alternative to more disruptive uses and degradation of these ecosystems.
14. Many riverine wetlands and large lakes are extensively used as major transport and trade corridors for the movement of people and goods between ports and the coast and inland areas of many countries.

2.3 Production

15. Many components of wetland ecosystems provide resources for direct human consumption, including: water for drinking, fish, rice, water plants and fruit to eat, plants and animals for medicinal purposes, reeds to thatch roofs, timber for building, peat and fuel wood for fires.

16. Harvesting ecosystem products while respecting the production rate and the regenerative capacity of each species can provide sustainable benefits to human society. For example, most fisheries rely heavily on healthy wetland ecosystems and their maintenance is often a fundamental requirement for both local and national economies. In many rural areas, water supply depends largely on water extracted from shallow boreholes or local springs. The aquifers and springs can provide water on a sustained basis only if areas of recharge, generally wetlands, are maintained and protected.

2.4 Cultural heritage

17. Wetlands also provide rich centres of culture and heritage (for further information, see also Ramsar's 2001 factsheets on *The cultural heritage of wetlands*, Ramsar COP8 DOC. 15, Resolution VIII.19 and *Culture and wetlands: a Ramsar guidance document* - launched at COP10 by the Ramsar Culture Working Group). Many people depend upon the maintenance of natural wetland ecosystems to support their traditional lifestyles and livelihoods. For example, among many southern African peoples a complex set of beliefs exists for water, wetlands, and riparian zones. Many rivers, pools and water sources hold a profound sacred status. Linked to this are numerous traditions such as the annual reed dance of the amaSwazi and institutions such as the immortal rain queen Modjadji. People's dependence on these resources is also reflected in the modern era. For example, Botswana has named its currency, the Pula ("rain"), after one of the most precious resources in an arid region.

3. Managing water for wetland ecosystems

18. In general, the value of wetland ecosystems to water resources management has not been adequately recognized. Huge international investments in water resource management have tended to focus on structural approaches, but with little attention being paid to the role and importance of natural ecosystems in managing the hydrological cycle, or to the potential of wetland ecosystems as naturally-functioning and cost-effective alternatives to costly engineering investments.
19. Very few wetland ecosystems, like the world's environment in general, are now truly natural: almost all are modified and managed, intentionally or unintentionally and to a greater or lesser extent by, for example, flow regulation, channelisation or pollution as well as other land use and land use change pressures. Returning most rivers and wetlands to their natural states would be impossible due to long-established patterns of human use and impacts.
20. Hence, environmental flow allocation cannot be seen as the flow which maintains or returns a river or other wetland ecosystem to its natural state. Rather it is the flow which conserves the functions and attributes of the wetland ecosystem which are desired by people, which in turn secures the sustained availability of the goods and services of the wetland for people.
21. It is essential, for the principle of making water allocations for wetland ecosystems to be implemented with real commitment by governments and stakeholders, that the water allocated to ecosystems should lead to

Additional information

Nature for water

Protecting water-related ecosystems for sustainable development

Produced by the Secretariat of the Water Convention (the UN Convention on the Protection and Use of Transboundary Watercourses and International Lakes, Helsinki, 1992), this 8-page brochure is addressed to water managers, land-use planners, forest managers, conservation experts and other stakeholders. Its aim is to raise awareness about the importance of ecosystems for water management, providing examples that prove the cost-effectiveness of maintaining, restoring or even creating water-related ecosystems rather than trying to provide the same service through engineered solutions such as dams, embankments or water-treatment facilities. Putting this ecosystem approach fully into practice remains a challenge at local, national and international levels.



The brochure suggests five pillars of action that should form the basis for any future action to implement the ecosystem approach:

Establishing partnerships through creating multidisciplinary teams will help develop a shared vision of the water conditions required.

Getting better information is essential for sound decision-making and integrated management of water and related ecosystems. This will often need increased investments in science, research and technology.

Strengthening capacities is essential if the principles of the ecosystem approach are to be converted into policies, strategies and actions.

Innovative economic tools and financing can increase the financial resources available to protect and restore water-related ecosystems. Another brochure specifically addressing this can be downloaded in PDF format here: http://www.unece.org/env/water/meetings/payment_ecosystems/brochure.pdf.

National legislation and international agreements can play significant roles: the ongoing development of new legislation should recognize the ecosystem approach as a holistic approach to water management and consider the ecosystem as a legitimate water user as well as supplier. Bilateral and multilateral agreements on transboundary waters should also incorporate the ecosystem approach.

The brochure is available for download in PDF format here http://www.unece.org/env/water/meetings/ecosystem/Brochure_final.pdf.

maintaining or enhancing the quality of people's lives, and should not prejudice the provision of basic water supply, sanitation, and food security.

22. However, since freshwater supplies are finite, water for ecosystems must, in almost all cases, be made available from existing water resources. This in turn means that existing water resources must be allocated and managed carefully, and that excessive demands by offshore users should be reduced,

in order to ensure that allocations can be made for wetland ecosystems with a reasonable degree of assurance.

23. Setting environmental water allocations is a matter of societal choice, in which all sectors of society should participate. For the millions of people worldwide who depend directly on wetland resources or benefit from wetland functions, providing water for the environment and for people is one and the same. Setting aside a water allocation for wetland ecosystems before authorizing or licensing offstream uses is, and should be widely recognized as, an investment in sustainability, rather than a reduction in economic development.
24. Management of wetland ecosystems requires that management activities take place both within a wetland and in the surrounding catchment (see also the guidance in Ramsar Resolution VIII.14 concerning management planning for Ramsar sites and other wetlands). One of the most important management factors is the allocation of sufficient water of an adequate quality to maintain the desired wetland ecosystem functions. However, it is not sufficient simply to release water from dams or flow control structures to serve as allocations to wetland ecosystems. It is necessary also to consider and manage land-based activities which impact on wetlands, such as commercial forestry (which reduces available runoff at the head of a catchment), damage to riparian zones (which changes patterns of flow and erosion/deposition patterns), and excessive groundwater abstraction (which can lower the water-table and so reduce baseflow to both wetland and terrestrial ecosystems).
25. To ensure that appropriate water allocations are made for, and actually reach, wetland ecosystems, four components are necessary:
 - 25.1 decision-making frameworks or processes which recognize wetland ecosystems and the critical role they play, and which permit wetland ecosystem functions to be identified and valued in the same context as offstream or direct water uses by people;
 - 25.2 appropriate scientific and technical tools for quantitatively determining appropriate water allocations for the maintenance of desired wetland ecosystem functions;
 - 25.3 comprehensive strategies for the implementation of management measures which will support water allocations for wetland ecosystems; and
 - 25.4 appropriate management tools and measures that can be used to manage people's demands and impacts on water resources so that water remains for, or is made available to, wetland ecosystems.
26. Each of these four components, illustrated with case study examples, is described in the sections that follow.

See also Handbooks 9, River basin management, and 18, Managing wetlands

4. Decision making processes

4.1 Law- and policy-based processes

Conventional law

See also Handbook 2, National Wetland Policies

27. National policy to support the allocation of water specifically to protect and maintain wetland ecosystems is relatively new in most countries where it has been implemented. However, experience is beginning to show that unless water allocations for wetland ecosystems are explicitly mentioned and given a clear status in water policy and legislation, then although water requirements of wetland ecosystems may be determined in studies and environmental impact assessments, water allocations based on these determinations are unlikely to be implemented in practice.

See also Handbook 3, Laws and institutions

28. It is not sufficient to have the issue addressed only in environmental policy and legislation. Environmental, as well as water, policy and legislation need to be reviewed and harmonised in order to incorporate water allocations for wetland ecosystems. The reviews should be concurrent and preferably closely linked in order to ensure consistency in the policy and legal approaches. The roles and responsibilities of the different ministries or resource management agencies in determining and implementing water allocations to wetland ecosystems must be established, with clear lines of accountability and authority.

29. The specific laws and policies concerning allocation of water to wetland ecosystems vary from country to country, but in general there are three types of situations, described further below, representing progressively higher degrees of protection for wetland ecosystems:

- no explicit provisions for water allocations to wetland ecosystems;
- ecosystems compete with other users for water allocations; and
- ecosystems have water rights in law.

Scenario 1: No explicit provisions for water allocations to wetland ecosystems

30. This situation occurs mostly in countries where environmental and/or water policy dates from the mid-1900s or earlier. Here water allocations to wetland ecosystems or to “the environment” are not mentioned at all in water legislation or policy, and are seldom specifically mentioned in environmental legislation unless this legislation is relatively recent.

31. Where the legislation and/or policy does make mention of water allocations to wetland ecosystems, this generally is through regulations relating to Environmental Impact Assessments (EIA), since then ecosystem water requirements can be determined on a project basis during an EIA, for example for a water resources development project.

32. However, even when a water allocation is determined as part of an EIA, this does not necessarily mean that such an allocation will be implemented when the project is undertaken: whether the allocation is actually made, and the size of this allocation, will depend on the water policy in place at the time.

33. The disadvantage of no explicit provisions being required for water allocations is that it can easily lead to cumulative impacts on wetland


Additional information

Beyond More Crop per Drop

Water management for Food and the Environment

This 19-page fully-illustrated booklet from IWMI (International Water Management Institute) looks at the challenge of water management for food and environment. The text is focused on presenting key messages which are clustered into three main categories:

1. **Context messages** covering facts about the current and future water situation and its connection to agriculture and the environment including the nature of water scarcity and the important distinction between green and blue water dependence in food production.
2. **Driver messages** that highlight the factors driving the water-food-environment nexus, including population growth and economic development; world trading patterns and WTO negotiations; and the effects of climate variability as a result of climate change.
3. **Action messages** that can contribute to overcoming water-food-environment issues and challenges including increasing blue and green water productivity; increasing access to water resources; balancing water for food and other ecosystem services; and investing in water security to aid poverty alleviation.



Written by the then IWMI Director Frank Rijsberman and Nadia Manning, with input from a number of others and based on information from the Ramsar Convention, SEL, IUCN, SIWI, and others, this booklet is available for download in PDF format from the IWMI Web site here http://www.iwmi.cgiar.org/Publications/Other/PDF/Beyond_more_crop_per_drop.pdf.

ecosystems, whereby each new development project demands “just a little more” water from the ecosystem. Such sequential cumulative allocations can be approved without reference to the overall picture because there is no clear legal status given to wetland ecosystem water allocations – thus water can later be appropriated readily and without due process, to be used for other offshore water uses of perceived higher value (see Case Study 1).

34. Under this scenario, water is usually treated as a private good, and there may or may not be regulatory control over the abstraction of water which is considered to constitute people’s “normal share” of the flow or their “riparian right” to water. In cases of over-allocation, lengthy legal processes may be necessary in order to expropriate water for re-allocation to higher value uses or to ecosystems.
35. This system can work successfully when there are no shortages of water and few conflicting demands on water. In water-scarce situations, demarcated areas can be established within which specific water allocation rules apply.

Case Study 1

Las Tablas de Daimiel, Spain

The history of the Tablas de Daimiel wetland in Spain provides an example of how groundwater exploitation has affected the interaction between surface water and the aquifer. The Tablas is a marshland at the confluence of the Rivers Guadiana and Gigüela. At its largest extent, it covered some 15km² with a depth of around 1m. It is one of Spain's two wetland National Parks. This status provides legal protection for the wetland itself, but not for the catchment of the upper Guadiana River which feeds it. The Tablas de Daimiel has been designated a Ramsar site and is a UNESCO Biosphere Reserve. The wetland is sustained predominantly by discharge from the western Mancha calcareous aquifer, although surface flow from the Guadiana and Gigüela also helps to support it.

The aquifer has been intensively exploited for the past two decades to provide water for irrigation farming: abstractions have increased from 200 million m³yr⁻¹ in 1974 to 600 million m³yr⁻¹ in 1987. By 1987 the total abstraction was greater than the estimated average recharge to the aquifer from the catchment of 200-300 million m³ yr⁻¹. This has led to a progressive lowering in groundwater levels of 20-30 metres and greatly reduced flows in the Guadiana river. As a consequence, there has been a change in the hydrological functioning of the Tablas de Daimiel. The decline in the water table has resulted in the conversion of a net groundwater input into the wetland of 45 million m³yr⁻¹ to a net outflow from the wetlands to groundwater of 33 million m³yr⁻¹ (Llamas, 1998). The ecological impact on the wetlands has been devastating, as peats have dried out completely in some places.

An experimental plan to restore the wetland was approved in 1988 by the Spanish Government. This consisted of several actions: a) drilling of emergency pumping wells in the wetland; b) the transfer of up to 60 million m³ of water from another catchment to the Gigüela; and c) hydraulic structures to control and optimise water levels in the wetlands. The Ministry of Environment prohibited the drilling of new wells and has imposed limitations on pumping from existing wells. In 1992, a programme of incentives to farmers was launched, in order to reduce water consumption. The combined effect of these measures, together with recent good rainfall, led to the recovery of groundwater levels from a historical minimum of -42.3m in 1995 to the level of -26.5m in 2001.

For example, under South Africa's previous water legislation (Act 54 of 1956) these were called Government Water Control Areas. Such rules then take precedence over existing water legislation. Wetland ecosystems such as designated Ramsar sites could be protected using this strategy of controlled areas, but review of national water and environmental legislation is generally more effective at ensuring water allocations for wetland ecosystems.

Scenario 2: Ecosystems compete with other users for water allocations

36. In this scenario, water allocations can be made to wetland ecosystems, but these have the status of authorizations for the use of water, on the same basis as authorizations made to, for example, irrigation farmers or industry. Here the ecosystem is seen as a valid though competing user for the water, and allocations are often made on the basis of the perceived highest value use of the water (often referred to as "beneficial use"). Wetland ecosystems are given protection for the sake of the ecosystems. If a sufficiently high value,

such as an important sport fishery or the country's obligations under an international treaty such as the Ramsar Convention, can be demonstrated, then wetland ecosystems will receive appropriate allocations.

37. In this situation, water may be either a private or a public good. If water is treated as a private good then, as in Scenario 1, difficulty may arise if there is a need to expropriate or re-allocate water for wetland ecosystems. Lengthy legal processes may result as water users try to prove higher value, and government may need to buy back ecosystem allocations at "market value", which is not always easy to establish. If water is regarded a public good, then the government may be able to appropriate water or reduce water users' authorizations to make water available for wetland ecosystems.
38. This approach can work to protect ecosystems, but to be truly effective it requires valuation tools which can value ecosystem goods and services in the same context and currencies as commercial or other offstream uses. It also requires a sophisticated water market and pricing strategies. An example of where this approach has been relatively successful is the Murray-Darling Basin in Australia, where water entitlements, including environmental entitlements, are traded on the free market and a system of real-time water accounting is in place (see Case Study 2).

Scenario 3: Ecosystems have water rights in law

39. Under this scenario wetland ecosystems have the highest level of protection, and water allocations to wetland ecosystems are a right in law. Wetland ecosystems may be afforded one of two levels of priority:
 - the water required to protect wetland ecosystems has a higher priority than commercial or other uses; or
 - the water required to protect wetland ecosystems has the same priority as other uses.
40. In South Africa the former applies, and there is a clear hierarchy in law and policy which states that if there should be conflicting demands for water, the order of precedence in which these demands should be met is (i) basic human needs, (ii) aquatic ecosystems, (iii) water to meet international obligations in shared river basins, and (iv) other water uses¹⁴.
41. This approach recognizes an aquatic ecosystem as the resource from which the commodity of water is derived rather than merely a competing user of water. Wetland ecosystems are given protection in order to benefit people through sustained provision of ecosystem goods and services, including water. When water allocations amongst many competing users must be decided, this approach is more defensible than the protection of ecosystems for ecosystems' sake, as in Scenarios 1 or 2 above. It ensures the explicit inclusion of ecosystem goods and services in any cost-benefit analysis related to water allocations. Water is usually a public good in this type of scenario, enabling the government to appropriate water for ecosystems, when necessary.

14 South Africa (1998). National Water Act (Act 36 of 1998). Republic of South Africa.

Case Study 2

The Murray Darling Basin

The Murray-Darling Basin is one of Australia's largest drainage divisions, and one of the world's major river systems. It covers just over one million square kilometres – some fourteen per cent of Australia's continental land area. The Basin includes the Darling River (2,740 km long), the Murray (2,530 km), and the Murrumbidgee (1,690 km) – the three largest rivers in Australia. It has high ecological values, with diverse species and ecosystems, nearly 5.7 million hectares of wetlands and 16 wetlands listed as internationally important under the Ramsar Convention.

Threats to the habitats and ecological communities of wetlands in the Basin include increasing salinity, rising water tables, inadequate flooding regimes, drainage, vegetation clearance, invasive species, and barriers to movement of water and biota. Much wetland area has been lost and many have been degraded as a consequence of water being diverted for irrigation.

The period up to the 1990s was marked by increasing water withdrawals for irrigation and continuing declines in the ecological health of the river system, including the collapse of river fisheries, threats to the survival of many species and increasing salinity. In 1991 a toxic blue-green algal bloom that extended for 1,000 kilometres along the Darling River was the clearest indicator that the health of the river system was reaching a crisis. In response a cap was placed on surface water extraction rights from the Murray-Darling at 1993/1994 levels, and programs commenced to ameliorate some of the problems, including interventions to reduce salinity levels, blue-green algae blooms, restore native fish populations and provide environmental flows. However, these interventions failed to substantially slow the decline.

The Basin includes parts of four States: New South Wales, Victoria, South Australia, and Queensland, as well as the entire area of the Australian Capital Territory. Under the Australian Constitution, the Federal or Commonwealth Government is generally not able to take unilateral action in resource management issues – it needs to work with the States and Territories, which have primary responsibility for land and water management. The 1992 Murray-Darling Basin Agreement provided an institutional framework for the management of the Basin's natural resources and environment with the purpose of promoting and coordinating effective planning and management for the equitable, efficient and sustainable use of the water, land and other environmental resources of the Basin. The Agreement brought together the Commonwealth, State and Territory governments.

In response to continuing ecological decline of the river and wetlands, the National Water Initiative was agreed in 2004 between the state and federal governments, with reforms to reduce water allocations to sustainable levels, provide environmental flows, and consider climate change impacts. All states have since implemented environmental flows, but inconsistently, and with inadequate target-setting, monitoring and reporting.

By 2006 the looming ecological collapse of the lower River Murray sparked further reforms. Drawing on the Ramsar Convention and other international agreements, the Federal Government extended the application of its powers to manage water in the Basin under the Water Act 2007. A new independent Murray-Darling Basin Authority was established and is required to prepare a Basin Plan, including setting "sustainable diversion limits" for water and an "environmental watering plan" with iterative revisions in later years.

Targets for the conservation of freshwater ecosystems are being determined and will be implemented as the existing state tributary 'catchment management plans' expire, although

some of these will remain in force up to 2019 despite the urgent need for further action and changes in the way water is managed.

In addition to the above generic needs for managing all rivers, different measures are needed to maximise the conservation and climate change adaptation opportunities for each river in the Basin, depending on the degree of disturbance. These measures include the conservation of free-flowing rivers, restoration and protection of key tributaries, and reoperation of regulated rivers.

For further information, see: http://www.mdba.gov.au/basin_plan

-- updated by Prof Max Finlayson, December 2010

42. Under this scenario, there is a need to remain realistic, especially where the short-term demands of economic development may be pressing, although the long-term requirements for protection of ecosystems are recognized. Flexibility in applying this approach is appropriate, using a classification approach such as that proposed in the EU Water Framework Directive and in the South African water resource classification system. Both allow for different levels of protection for water resources and hence different relative water allocations to wetland ecosystems.^{15, 16, 17} The classification approach as a tool for determining water allocations is described further in section 4.1.

Customary law

43. Around the world, the traditions, customs and beliefs of indigenous peoples form a foundation for a large body of customary or tribal law. This often provides the context and support for the wise use of natural resources, including wetlands. In southern Africa alone there are over 50 different tribal groups that can have varying customary and interconnected tribal law affecting water resource management.
44. Customary law is generally unwritten law. It is fixed practice under which local communities live in accordance because they regard it as the law. In modern law, custom play a much less important role as a formative source of law.
45. Any assertion of a custom as law has to be proved. The following should be proven before a custom could qualify as law:¹⁸
 - it must be immemorial;
 - it must be reasonable;
 - it must have continued without exception since its immemorial origin;and

15 DWAF (1997). White Paper on a National Water Policy. Department of Water Affairs and Forestry, Pretoria, South Africa.

16 DWAF (1999). Resource Directed Measures for Protection of Water Resources Version 1.0 Volume 2: Integrated Manual. Department of Water Affairs and Forestry, Pretoria, South Africa.

17 European Commission (2000). Water Framework Directive. Directive 2000/60/EC of the European Parliament.

18 Department of Justice and Constitutional Development, Republic of South Africa (1998) Report to the OAU on the African Charter on human and people's rights. <http://www.justice.gov.za/policy/african%20charter/africancharter.htm>

- its content and meaning must be certain and clear.
46. Most customary law regarding natural resources is derived from a long tradition of stewardship of these resources, rather than proprietary rights over them.¹⁹ This tradition of stewardship has recently been “rediscovered” and included in the principles upon which modern sustainability and wise use concepts are based. Both individual and communal rights to the use, but not necessarily the ownership, of natural resources may be allowed for in customary law.²⁰
 47. The fact that customary law is “immemorial” usually means that it has developed over a very long time to be ideally suited to local natural resource conditions, and can take account of local variability, for example flood-drought cycles. It is usually also well understood by the local communities whose activities impact on the wetland ecosystems and water resources they use.
 48. Customary law, especially that relating to the use of natural resources such as wetland ecosystems, can be very complex, but this complexity usually makes the law inherently flexible, adaptive and applicable to a wide variety of local situations.
 49. Although very little of the body of customary law relating to water resources has been documented, it is clear from the outcomes of various customary decision-making processes that there is considerable potential for learning from and applying its approaches in modern-day resource management decisions.^{21, 22, 23,24}
 50. Customary law may not always be appropriate for modern development scenarios, since it has often been adapted progressively over time to suit very specific local situations. However, local customary decision-making processes related to the wise use of wetland ecosystems should be investigated and incorporated, where appropriate, into formal decision-making related to water allocations and to the ongoing use and management of water resources. This goes further than simply recording local communities and indigenous people’s knowledge of an ecosystem, and ensuring full participation by local communities and indigenous people’s in management and decision-making is recognized in the Ramsar Convention’s guidance as a vital element in securing the conservation and

See also Handbooks
7, Participatory
skills, and 18, Manag-
ing wetlands

19 Field-Juma, A (1996). Governance and sustainable development. In: Juma C & Ojwang JB (eds.) *In Land We Trust: Environment, Private Property and Constitutional Change..* African Centre for Technology Studies Environmental Policy Series No. 7, Initiatives Publishers, Nairobi, 1996.

20 Ramazotti, M (1996). *Readings in African customary water law.* FAO Legislative Study, Development Law Service, FAO, Rome.

21 Goodman, E, J 2000 Indian Tribal Sovereignty and Water Resources: Watersheds. Ecosystems and Tribal Co-management. In: *Journal of Land Resources and Environmental Law.* No 185

22 Chabwela, H, and Mumba, W (1998). Integrating Water Conservation and Population Strategies on the Kafue Flats, Zambia. <http://www.aaas.org/international/ehn/waterpop/zambia.htm>

23 Gillingham, M (1999). Gaining Access to Water: Formal and Working Rules of Indigenous Irrigation Management on Mount Kilimanjaro, Tanzania. *Natural Resources Journal* V39, Part 3, pp419-441.

24 Craig, D & Freeland, S (1998) Indigenous Law Resources, Reconciliation and Social Justice Library. Indigenous Governance of the Inuit of Greenland. <http://www.austlii.edu.au/cgi-bin/sinodisp/au/other/IndigLRes/1998/3/8.html?query=Indigenous%20Governance%20of%20the%20Inuit%20of%20Greenland>

Case Study 3

Customary law and water management in southern Africa

African spirituality and legend is tightly bound into tribal beliefs, customs, behaviour and law. Water itself is regarded by many traditional Africans as a living force and medium for purification and healing. Traditional healers who are persons of spirit play an important role in tribal law administration. Recently, in KwaZulu-Natal (South Africa) an ancient day of rest for the region's water spirit, "the great princess iNkosazana", was re-instated by some rural communities. The princess had visited some individuals to complain that she needed the rivers left completely alone so she could enjoy and renew them without disturbance. On this ancient day of rest, now ruled as Mondays and Saturdays, utilizing any water directly from the river is strictly prohibited.

In 1995 Juliana, a Zimbabwean prophetess, instituted a set of strict taboos which the community had to observe in order to bring back the water spirits into the region, who would then break a current drought. Among these taboos was the banning of the construction of dams and the prevention of the use of soaps and metal containers in the river. Thousands of people adhered to her pronouncements and restrictions, which provides a powerful example of the respect and importance of spiritual beliefs in influencing traditional water management¹.

1 Bernard, P (2000) Water Spirits, Indigenous Peoples Knowledge Programme, *South African Wetlands Journal* No 11, pp12-16.

wise use of wetlands (see notably Resolution VII.8 *Guidelines for establishing and strengthening local communities' and indigenous people's participation in the management of wetlands*, Resolution VIII.14 *New guidelines for management planning for Ramsar sites and other wetlands*, Resolution VIII.1 *Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands*, and Resolution VIII.19 *Guiding principles for identifying cultural aspects of wetlands and incorporating them into the effective management of sites*). Fully incorporating the tenets of customary law into water resource management is likely to improve the sustainability of water resource development projects, as well as to strengthen the ecosystem protection component of management plans and policies.

4.2 Valuation-based processes

51. To determine the best use of water, an independent measure of the benefits of various alternative options is required²⁵. Monetary value is frequently employed, since this is how most goods and services are exchanged in everyday life.
52. Here the aim is to allocate water to those uses that yield an overall net gain to society, as measured in terms of the economic benefits of each use, minus its costs. This is termed *economic efficiency*. For example in northern Nigeria, large dams were constructed on the Hadejia river to feed intensive irrigation,

25 Barbier, E.B., Acreman, M.C. & Knowler, D. (1997). *Economic valuation of wetlands: a guide for policy makers and planners*. Ramsar Convention, Gland, Switzerland.

Case Study 4

Valuation in the Hadejia-Jama'are River Basin, Northern Nigeria

In Northern Nigeria, an extensive floodplain exists where the Hadejia and Jama'are Rivers converge. The floodplain provides essential income and nutritional benefits in the form of agriculture, grazing resources, non-timber forest products, fuelwood, and fishing for local populations, and it helps to recharge the regional aquifer which serves as an essential groundwater source.

In recent decades the ecosystem functions of the floodplain have come under increasing pressure from the construction of the Tiga and Challawa Gorge dams upstream. The maximum extent of flooding has declined from 300,000 ha in the 1960s to around 70,000 to 100,000 ha more recently. Furthermore, there are plans for a new dam at Kafin Zaki.

Economic analysis of the Kano River Project, a major irrigation scheme benefiting from the upstream dams, and the floodplain showed that the net economic benefits of the floodplain (agriculture, fishing, fuelwood) were at least US\$32 per 1000 m³ of water (at 1989 prices). However, the returns in terms of crops grown in the Kano River Project were at most only US\$1.73 per 1000 m³, and when the operational costs were included the net benefits of the Project were reduced to only US\$0.04 per 1000 m³.

A combined economic and hydrological analysis was conducted to simulate the impacts of these upstream projects on the flood extent that determines the downstream floodplain area. The economic gains of the upstream water projects were then compared to the resulting economic losses to downstream agricultural, fuelwood and fishing benefits.

Given the high productivity of the floodplain, the losses in economic benefits due to changes in flood extent for all scenarios are large, ranging from US\$2.6 - 4.2 million to US\$23.4 - 24.0 million. As expected, there is a direct trade-off between increasing irrigation upstream and impacts on the floodplain downstream. Full implementation of all the upstream dams and large-scale irrigation schemes would produce the greatest overall net losses, around US\$20.2 - 20.9 million.

These results suggest that the expansion of the existing irrigation schemes within the river basin is effectively 'uneconomic'. The introduction of a regulated flooding regime would reduce the scale of this negative balance substantially, to around US\$15.4 - 16.5 million. The overall combined value of production from irrigation and the floodplain would, however, still fall well below the levels experienced if the proposed additional upstream schemes were not constructed.

which led to a reduction in the Hadejia-Nguru wetlands downstream.²⁶ However, it has been demonstrated²⁷ that the economic value of the water when used for intensive irrigation was many times less than its value for supporting fisheries, agriculture and fuelwood in the wetlands downstream. Consequently, the Nigerian government is now exploring the potential for

26 Hollis, G.E., Adams, W.M. & Aminu-Kano, M. (1995) (Eds) *Hadejia-Nguru Wetlands and wetland management in sub-Saharan Africa*. IUCN, Gland, Switzerland.

27 Barbier, E.B. Adams, W.M. and Kimmage, K. (1991). *Economic Valuation of Wetland Benefits: the Hadejia-Jama'are Floodplain, Nigeria*. London Environmental Economics Centre Paper DP 91-02. International Institute for Environment and Development, London, UK.

releasing water from the dams to restore the wetlands.²⁸ Economic valuation thus provided a sound basis for water management decision making. This example of the power of valuation is further described in Case Study 4.

53. However, economic valuation is not a panacea for decision-makers facing difficult choices. One problem that arises is that the question of which stakeholders gain and which lose from a particular water management scheme is not a criterion taken into account in efficiency assessment. Such distributional effects may be very important, since although a particular scheme may show a substantial net benefit and would be deemed highly desirable in efficiency terms, the principal beneficiaries may not necessarily be the ones who bear the burden of the costs or suffer any adverse impacts which arise. For example, the Kariba dam, built in 1959, was the first of the major dams in Africa and brought a great benefit to Zambia through its supply of power for copper mining. However, since no plans for rural electrification were made, the 50,000 Batongans displaced by the reservoir bore the burden of the costs, but saw none of the benefit²⁹.
54. A further difficulty facing valuation of water is that there is generally insufficient quantitative information available about the ecological and hydrological processes of wetlands, such as their nutrient recycling and groundwater recharge functions. If this information is lacking, considerable investment of time, resources and effort in further scientific and economic research is required, since these vital processes and functions must be quantified before economic value can be assigned to them.
55. Finally, some members of society may argue that certain environmental systems, such as a tropical rainforest, may have an additional 'pre-eminent' value in itself, beyond that which it may provide in terms of satisfying human preferences. This is particularly significant for water management: here management decisions may lead to the degradation of essential life-support functions of ecosystems, such as nutrient cycling or loss or the decline of rare species. From this perspective conserving an ecosystem or species is a matter of moral obligation rather than related to an efficient, or even fair, allocation of the water. Thus, economic values represent just one input into water management decision-making, alongside a number of other important considerations.

5. Tools for determining water allocations for wetland ecosystems

5.1 Water for ecosystems – concepts and principles

56. In many river basins throughout the world, water resources and wetland ecosystems have already been substantially modified by human utilization and development, and they no longer function in anything like their natural ecological state. However, a water resource does not have to be in a pristine or untouched state to have ecological integrity and resilience – even modified wetland ecosystems can have the resilience which makes

28 Hadejia-Nguru Wetlands Conservation Project/National Institute for Policy and Strategic Studies (1993). *Proceedings of the workshop on the management of the water resources of the Komodugu-Yobe basin*. National Institute Press, Kuru, Nigeria.

29 Acreman, M.C. 1996 Environmental effects of hydro-electric power generation in Africa and the potential for artificial floods. *Water and Environmental Management*, 10, 6, 429-435.

them renewable resources, so long as they are managed in such a way that a certain level of ecological function and integrity is either maintained or rehabilitated.

57. Sustainable utilization requires achieving a balance between an acceptable level of long-term protection of water resources and water users and society's present requirements for economic growth and development. The total prevention of abstraction or of pollution is an ideal to strive for in the long term, but it is seldom, if ever, practical in the short to medium term, since neither the emission of waste to the water environment nor the impacts of land use and land use change on the water environment can be prevented entirely.
58. However, these damaging pressures can and must be managed and regulated in order to achieve adequate long-term protection of water resources. To manage and regulate impacts on water resources, clear objectives are required which establish the level of protection which should be afforded to water resources, the level of ecological integrity which must be maintained, and the water allocation which will ensure that the desired levels of protection and ecological integrity are met.
59. For the purposes of this paper, the water allocation to a wetland ecosystem is defined as:

“the water quantity and water quality required to maintain a particular ecological character³⁰ of the water resource which will sustain selected wetland ecosystem functions and services.”

Environmental objectives for water resources and wetland ecosystems

60. In the context of the Ramsar Convention, certain wetland ecosystems may be delineated and identified as requiring a high level of protection, notably through their designation as Wetlands of International Importance (Ramsar sites).
61. However, since these wetland ecosystems, especially inland wetlands, are integral parts of a larger catchment basin system, it is not sufficient to set management objectives for the maintenance of the ecological character of only the wetland ecosystem itself: it is absolutely necessary to identify linkages between the particular wetland ecosystem and the other water resources in the catchment which are in hydraulic or ecological connectivity with that wetland ecosystem, as indicated in the Ramsar Convention's guidance on wetland management planning (Resolution VIII.14). Management objectives must be set also for the hydrologically-linked water resources, and these objectives must be consistent with and integrated with the objectives set for the specific wetland ecosystem being managed.
62. It is also important to recognize that, particularly in large catchments, there are likely to be a number of wetlands identified as Ramsar sites and/or as

See also Handbooks
9, River basin
management, and
20, International
cooperation

30 The Conference of the Parties of the Ramsar Convention has defined “*ecological character*” as “the sum of the biological, physical and chemical components of the wetland ecosystem and their interactions which maintain the wetland and its products, functions and attributes” (Resolution VII.10). At COP9 Parties adopted Resolution IX.1 Annex A which re-defined ecological character as “the combination of the ecosystem components, processes and benefits/services that characterise the wetland at a given point in time.”; See Handbook 1 *Wise Use*, 4th edition.

protected areas designated under other instruments, and every effort should be made to harmonise their management objectives so as to contribute fully to the sustainable water resource management of the whole catchment. This can also require cooperation and coordination between countries where catchments cross geo-political borders (see also Ramsar guidance on such matters, notably Resolution VII.18 on integrating wetland conservation and wise use into river basin management and Resolution VII.19 on international cooperation).

63. Management objectives for water resources need to reflect the broader definition of a water resource as an ecosystem, otherwise the ecological integrity of water resources will not be fully sustained. In order to reflect an ecosystem approach, objectives for water resources should be “environmental” objectives, which address all components of the aquatic ecosystem in order to ensure its maintenance, rather than simply water quality objectives or flow objectives.
64. Since environmental objectives are a statement of environmental quality to be achieved in order to maintain an identified level of ecological integrity in a water resource, environmental objectives for water resources should have four critical components, to cover each of the aspects of ecological integrity which are necessary for protection of aquatic ecosystems:
 - 64.1 **Requirements for water quantity**, usually stated as Instream Flow Requirements for a river reach or estuary, or water level requirements for standing water or groundwater. These are set according to accepted procedures for determining water quantity allocations to wetland ecosystems;
 - 64.2 **Requirements for water quality**, including physical, chemical and biological aspects of water quality. These should be determined according to accepted water quality guidelines or criteria;
 - 64.3 **Requirements for habitat integrity**, which encompass the physical structure of instream and riparian habitats, as well as aspects of their vegetation; and
 - 64.4 **Requirements for biotic integrity**, which reflect the health, community structure, and distribution of aquatic biological diversity.
65. Environmental objectives for water resources are scientifically derived criteria, based on the best available scientific knowledge and understanding. They represent our best assessment of the environmental quality or ecological character which is necessary to provide a desired level of protection to a water resource. Environmental objectives should be derived for individual wetlands or water resource components, such as river reaches, sub-catchments, estuaries, coastal marine waters, wetlands or groundwater resources, within the broader framework of objectives for the catchment.

Risk-based objectives and classification

66. It is especially important to recognize that the water allocation to a water resource or to a wetland ecosystem is not just the minimum water quantity and water quality required for protection.

67. For a water resource which is classified as being of high protection status, the allocation would be set at a higher level than the minimum, which would correspond to the idea of minimum risk and maximum caution. For a water resource which is assigned lower protection status, the allocation would be set at a level which should still afford protection to the resource, but without the benefit of the buffer which such caution provides.
68. However, it is simplistic to assume that a “higher” allocation necessarily means that only a greater quantity of water is allocated to protection of the resource. The assurance or reliability of water, especially under extreme climatic conditions, is just as critical an aspect of the allocation as its quantity and quality.
69. The protection status which is afforded to a wetland ecosystem depends on three aspects of its importance:
 - ecological importance and sensitivity;
 - social importance; and
 - economic importance.

Ecological importance and sensitivity

70. The ecological importance of a river is an expression of its importance to the maintenance of ecological diversity and functioning on local and wider spatial scales, including the ecological character of wetlands in the catchment. Ecological sensitivity (or fragility) refers to the system’s ability to tolerate disturbance and its resilience – its capacity to recover from disturbance once it has occurred.
71. In determining water allocations, the following ecological aspects form the basis for the estimation of a river’s ecological importance and sensitivity:
 - 71.1 the presence of rare and endangered species, unique species (i.e., endemic or isolated populations) and communities, species sensitive to disturbance, and species diversity;
 - 71.2 habitat diversity, including specific habitat types such as river reaches with a high diversity of habitat types, i.e., pools, riffles, runs, rapids, waterfalls, riparian forests, etc.;
 - 71.3 the importance of the particular resource unit (e.g., river or reach of river) in providing connectivity between different sections of the whole water resource, for example whether it provides a migration route or corridor for species’ movement;
 - 71.4 the presence of protected areas and other relatively natural areas along the river section; and
 - 71.5 the sensitivity (or fragility) of the system and its resilience to environmental changes of both the biotic and abiotic components of the ecosystem.

Social importance

72. Features which should be included in the assessment of social and cultural importance are:

- 72.1 the extent to which people are dependent upon the natural ecological functions of the water resource for water for basic human needs (e.g., as the sole source of water supply);
- 72.2 dependence on the natural ecological functions of water resource for subsistence agriculture or aquaculture;
- 72.3 the use of the water resource for recreation;
- 72.4 the historical and archaeological value of the water resource;
- 72.5 the importance of the water resource in rituals and rites of passage;
- 72.6 the presence of sacred or special places in the river (e.g., where spirits live);
- 72.7 the use of riparian plants for building or craft materials, traditional medicine and food; and
- 72.8 the intrinsic and aesthetic value of the water resource for those who live in the catchment and those who visit it.

Economic importance

- 73. Water resources are usually important from an economic point of view. The economic value of a water resource is traditionally assessed in terms of the amount of water which can be abstracted for offstream use. Typical indicators include the number and value of jobs generated by the use of the water or the amount of revenue generated.



Women sowing rice seedlings, Palakkad, Kerala State, India. *Photo: F. K. Kakkassery.*

Case Study 5

Community-based water allocation in the Phongolo River

In the late 1960s the Pongolapoort dam was constructed on the Phongolo River in northeast South Africa near its borders with Swaziland and Mozambique. The reservoir was filled in 1970 with a view to irrigating 40,000 hectares of agricultural land for white settlers, with no provision for hydropower generation.

No assessments were undertaken of impacts of the impoundment on the floodplain, where 70,000 Tembe-Thonga people were dependent on recession agriculture, fishing and other wetland resources, nor of the biodiversity of the Ndumu game reserve. In the event very few settlers came to use the irrigation scheme. The dam changed the whole flooding regime of the river, which had significant negative impacts on agriculture and fisheries.

In 1978 a workshop was held on the Phongolo floodplain to review the future of irrigation and how to minimize the negative impacts on floodplain. This led to a plan for controlled releases of water to rehabilitate the indigenous agricultural system and the wildlife. However, initial releases of water from the dam were made at the wrong time of the year and crops were either washed away or rotted.

In 1987 the Department of Water Affairs and the tribal authorities agreed to experiment with community participation. As a result, water committees were established representing five user groups: fishermen, livestock keepers, women, and health workers (both new primary health care workers and traditional herbalists and diviners). They were given the mandate to decide when flood waters should be released. These committees have been very successful at implementing people's views and their work has led to management of the river basin to the benefit of the floodplain users.

74. However, it is important to recognize that water resources also provide other services which are often not included in economic valuation. In particular this applies to the services and benefits provided by aquatic ecosystems. These can include, *inter alia*:
 - 74.1 transport and/or purification of biodegradable wastes;
 - 74.2 recreation and aesthetic opportunities;
 - 74.3 food production;
 - 74.4 flood attenuation and regulation; and
 - 74.5 water-based transport.
75. While the development of tools for quantitative valuation of ecosystem services and benefits is still in an early stage, it is necessary that all the potential economic values of a water resource at least be identified when assessing economic importance.

5.2 Methodologies for determination of water allocations to wetland ecosystems

76. Design specifications for methodologies to determine water allocations for wetland ecosystems require that methodologies:

Case Study 6

Classification systems for water resources

Under a national classification system, water resources can be grouped into classes representing different levels of protection. The risk which can be accepted in each class is related to the level of protection required for that class. This provides a nationally consistent basis and context for deciding on an acceptable level of short-term risk, against the requirements for long-term protection of a water resource.

For water resources which are especially important, sensitive, or of high value, little or no risk would be acceptable, and they would be assigned a high protection class. In other cases, the need for short- to medium-term utilization of a water resource may be more pressing: here the resource would still be protected, but would be assigned a class which reflected a higher risk. In addition, certain activities or impacts would be regulated or controlled to a certain degree in each class. Some activities, because of their high impacts, might be prohibited entirely in the highest protection class.

The purpose of a classification system is to provide a set of nationally consistent rules to guide decision-making about water resources - what we will allow to happen in our water resources, and what we will not. A national classification system allows for transparency, accountability and long term goal-setting to be incorporated into water resources management. Water resources which need to be improved can be identified, and the necessary control measures can be implemented to meet the requirements associated with the assigned class.

National and regional policies and plans taking a classification approach include the South African water policy, which makes provision for a national water resource classification system, the EU Water Framework Directive, and the South Australian Water Plan.

- 76.1 be legally defensible, since they must serve as a basis for control and management of impacts and for issuing legally valid water use authorizations and licenses;
- 76.2 be scientifically defensible and based upon sound ecological principles in line with the integrated ecosystem approach to water resource management;
- 76.3 match administrative requirements, i.e. that the information be provided to the water resource management agencies in a format which can be used as a basis for drawing up water use allocation plans and catchment management strategies, as well as for setting individual water use license conditions;
- 76.4 allow for the determination of conservative estimates of the water quantity and quality required to protect a wetland ecosystem, in line with the precautionary approach;
- 76.5 be derived from available technologies (preferably technologies published in the scientific literature) and knowledge in the region in which the wetland ecosystem is situated, since this will increase the scientific validity and acceptance, and also because it is generally more likely that there will be more specialist capacity available to implement procedures or approaches which are already in use; and

- 76.6 utilize a holistic ecosystem endpoint, rather than focusing only on a hydrological or chemical endpoint.
77. When determining environmental objectives for wetland ecosystems, and in particular in determining the water allocation, it is necessary to select management objectives towards which the ecosystem is managed (for further guidance on setting management objectives for wetlands, see the Convention's guidance on management planning for Ramsar sites and other wetlands, Resolution VIII.14). A water allocation would then be set which would contribute to achieving these objectives.
78. For reasons of scale and resolution, the endpoints for environmental objectives are generally defined for the abiotic components of the ecosystem. For practical purposes, it is assumed that if an adequate abiotic template can be provided, then the biotic components of the ecosystem (its fauna and flora) will be maintained and protected.
79. The abiotic template consists of three components:
- 79.1 the *hydraulic habitat*, which is measured by the parameters of water depth, wetted perimeter, and flow velocity;
- 79.2 the *physico-chemical habitat*, which is measured by typical water quality parameters such as pH, temperature, nutrient concentrations, and concentrations of toxic substances; and
- 79.3 the *geomorphological habitat*, which includes the morphology of the channel, substrate types and distribution (but also including the biotic component of riparian vegetation).
80. In general, methodologies for the determination of water allocations for river ecosystems are more developed than for estuarine ecosystems, palustrine wetlands, and those systems which are fed exclusively or largely by groundwater. Where water allocations have been made for such systems, the determination has usually been through very site-specific studies, and few generally applicable methodologies are available. South Africa has published guidelines for determination of the flow requirements of estuaries and palustrine wetlands, and for the groundwater contribution to wetland ecosystems, but these have yet to be fully tested and developed³¹.

Rapid methods

81. Rapid methods are here taken to be desktop studies using existing available data and information, without further field data collection. There are many rapid methods available for estimation of water allocations for wetland ecosystems.³²
82. Most such methods are based on the establishment of an empirical relationship between the water flow in a river or channel (as water volume

31 DWAF (1999). Resource Directed Measures for Protection of Water Resources. Volume 4: Wetland ecosystems, Volume 5: Estuarine ecosystems and Volume 6: Groundwater component. Department of Water Affairs and Forestry, Pretoria, South Africa.

32 Tharme, R (1996). Review of international methodologies for the quantification of the instream flow requirements of rivers. Draft report to the Water Research Commission, Pretoria, South Africa.

per unit of time) and the resulting structure and function of the associated wetland ecosystem. These methods generally require hydrological data for virgin and present-day runoff, with at least annual resolution. Some methods attempt to provide greater accuracy by linking various hydrological statistics to ecosystem structure and function, but in either case the methods are usually subjective and provide only coarse answers, at the resolution of annual volumes, a proportion of mean annual runoff, or average monthly flows.

83. Neither annual nor monthly resolution is sufficient for actually managing flow releases for wetland ecosystems on a daily basis. Nevertheless, this kind of coarse-scale information can be very useful in planning at the catchment or river basin scale.
84. One of the best-known rapid methodologies is the so-called "Montana method"³³, in which the proportion of the virgin mean annual runoff provided to a river ecosystem can be related empirically to the ecological condition of that ecosystem. This methodology relies on observations of ecological condition made by its developer in many North American rivers. However, the method is suitable only for northern temperate ecosystems and cannot be applied with confidence elsewhere, especially in ecosystems where flows are strongly seasonal. A modified version of the "Montana method" has been developed recently in South Africa based on experience from local studies, and this has been extensively used for planning purposes and in the scoping phase of Environmental Impact Assessments³⁴.

Comprehensive methods

85. A range of more comprehensive methods is available for determination of water allocations for wetland ecosystems. These provide answers at a higher spatial and temporal resolution than the rapid methods described above. Spatial resolution is at river reach level or smaller, and temporal resolution ranges from monthly to daily flows.
86. Application of these methods in a specific river system can take between several months to several years, since they are generally data-intensive, require detailed ecological and hydrological surveys, and usually involve multi-disciplinary teams in numerical modelling studies.
87. Many of these methods use habitat-based objectives. Ecologists provide recommendations regarding the extent, distribution and character of available habitat which is required to maintain or protect certain ecological functions or key species, and then determine, with the help of hydrologists, the necessary magnitude, frequency, duration, and timing of flows which will provide these habitats.
88. Two aspects of habitat, the hydraulic and geomorphological habitat, are usually addressed in the determination process, with the physico-chemical habitat sometimes also being integrated into a determination. Typically, a determination involves intensive hydraulic calibration and modelling to

33 Tennant, DL (1976). Instream flow regimens for fish, wildlife, recreation and related environmental resources. *Fisheries* 1(4): 6-10.

34 DWAF (1999). Resource Directed Measures for Protection of Water Resources: Volume 3 River Ecosystems. Department of Water Affairs and Forestry, Pretoria, South Africa.

Case Study 7

A generic methodology for determining the water requirements of wetland ecosystems

In South Africa, a generic methodology has been developed for determination of the water requirements of wetland ecosystems. It can be applied to riverine, estuarine, palustrine, and floodplain ecosystems, and involves the following steps.

1. Delineate the boundaries of the study area, which includes both the wetland ecosystem and its catchment.
2. Within the study area, delineate separate resource units. Resource units are sub-areas of the study area, such as river reaches, that are ecologically homogeneous in nature.
3. Determine the ecoregional type of each resource unit, identifying its natural template of biophysical characteristics. For example, in the South African ecoregional classification system, a resource unit might have ecoregional type 6.01: it is in the Lebombo Uplands; hills with moderate relief, undulating rocky terrain; altitude 150-500m; vegetation type Lebombo Arid Mountain Bushveld; rainfall 400-950mm. All riverine wetland ecosystems within ecoregion 6.01 could be expected to display similar natural ecological character, which allows extrapolation of knowledge about the ecological character of a data-rich ecosystem to a data-poor ecosystem in the same ecoregion.
4. On the basis of the ecoregional type, describe the reference conditions for each resource unit. Reference conditions are the expected natural, unimpacted, ecological character. These serve as a baseline against which to measure present-day ecological character.
5. Determine the present ecological character of each resource unit, in order to assess the degree of change or degradation from natural conditions, the current trajectory of change, the factors influencing change or degradation, and the present and possible future uses of the resource unit.
6. In consultation with stakeholders, decide what the desired future state of each resource unit should be, in terms of ecological character and uses to be sustained, and the level of protection required for the wetland ecosystem of that resource unit. The desired future state of the wetland ecosystem which was the original subject of the study will be the determining factor in setting the desired future state for all upstream resource units.
7. On the basis of the desired future state, use one of the scientific methods (such as the Building Block Methodology²⁴ or Instream Flow Incremental Methodology²⁵) to determine water quantity and water quality conditions which will ensure that the desired ecological character is maintained in each resource unit.

convert the ecological parameters of water depth, wetted perimeter, and water velocity at key sites in the river system to the hydrological parameters of flow rate and flow volume.

89. The best-documented more comprehensive methods are:

- 89.1 the Building Block Methodology³⁵ which was developed and has been applied extensively in South Africa;

35 King, JM, Tharme, RE & de Villiers, MS (2001). Environmental Flow Assessments for Rivers: Manual for the Building Block Methodology. Water Research Commission Report TT131/00, Pretoria, South Africa.

Case Study 8

Lower Indus Delta flow requirements

The Indus is one of the major river systems of Asia and dominates the landscape and economy of Pakistan, providing water for the world's largest irrigated area. The lower Indus supports a large floodplain that provides timber products, especially pit-props for the mining industry. Where the river joins the sea an extensive delta has formed, stabilised by mangroves. These provide camel fodder and fuelwood and support an extensive fishery (with a foreign exchange earning of over US\$100 million in 1997), as well as many rare and endangered species. Fresh groundwater within the delta supports communities of fisherfolk and camel herders.

Records from the nineteenth century suggest that freshwater flows to the lower Indus were around 150 million acre feet (MAF) per year (185,000 million m³). Some flow occurred all year round, with higher flows starting in March, peaking in August, and declining in November. Since then, construction of dams and barrages for irrigation has reduced the flows of water and sediment. During the period 1960-1971, freshwater inflows were only 35 MAF (43,000 million m³) and the Indus Water Accord only provides 10 MAF (12,300 million m³) per year. This occurs mainly in the period June-August, with little or no flow in other months.

Ecological studies by the Sindh Forest Department estimated that each 100 acres (40 ha) of mangrove forest requires a flow of 1 cusec (0.028 m³ sec⁻¹) during July and August to remain healthy and support the associated fisheries. For the estimated 260,000 ha of mangroves a total volume of 27 MAF (33,300 million m³) would be needed. A typical hydrograph shape would suggest a flow peak of 5,000 m³ sec⁻¹. The floodplain forests need to be inundated at least twice in every five years to enable saplings to become established.

However, low rainfall in recent years, combined with a rapidly increasing population requiring more irrigated food upstream, means that even the 10 MAF agreed in the Indus Water Accord is unlikely to be released to the delta in the coming years. This implies that the ecological character of the mangrove forests and the goods and services, notably fisheries, they provide will continue to deteriorate.

89.2 the Instream Flow Incremental Methodology (IFIM)³⁶ which is widely used in the USA; and

89.3 the holistic approach, which has been applied in Australia³⁷.

6. Development of strategies for implementation of water allocations to wetland ecosystems

90. It is not sufficient merely to conduct determinations of the water requirements of wetland ecosystems, no matter how detailed and intensive the studies. It is also necessary to develop site-specific long-term strategies for implementing and managing water allocations for wetland ecosystems.

³⁶ Instream Flow Incremental Methodology <http://www.fort.usgs.gov/Products/Software/IFIM/>
³⁷ Tharme, RE (1996). Review of international methodologies for the quantification of the instream flow requirements of rivers. Draft report to the Water Research Commission, Pretoria, South Africa.

91. Implementation strategies should:
- set out clear targets and objectives;
 - provide explicit time frames within which these targets should be achieved;
 - establish the means through which targets will be achieved; and
 - identify clearly the roles and responsibilities of government agencies, non-government organizations, stakeholders and water users in implementation.

6.1 Considerations to be addressed in implementation strategies

Socio-economic impacts

92. There may be significant socio-economic impacts associated with the implementation of a water allocation for a wetland ecosystem. Some of these impacts may be positive, for example in improving the potential of the wetland ecosystem to be utilized for subsistence purposes such as farming or fishing. Others may be negative relative to an existing situation, for example a reduction in water allocation for irrigation or industry in order to make water available for the wetland ecosystem.
93. In many cases, where a wetland ecosystem is already impacted, or is threatened by excessive water use or impacts on the water regime, measures to provide water for the wetland ecosystem will have to be phased in gradually over a period of time, in order to avoid serious negative impacts on the local economy.
94. Since it is likely that people in the catchment may have to change the ways in which they use water, and possibly the ways in which they dispose of waste, it is necessary to ensure the full support of water users and stakeholders for the measures which are to be put in place to implement the water allocation for a wetland ecosystem. This can be achieved by establishing a transparent and fully participatory decision-making process right from the start, so that there is agreement on the management objectives for the wetland ecosystem, as well as an understanding and acceptance of the costs and benefits of implementing the water allocation for the wetland ecosystem.

Technology and cost

95. Particularly in a catchment where water resources are already under pressure from over-exploitation, there may be various technological and management alternatives for making water available for allocation to a wetland ecosystem. These can include:
- 95.1 imposition of water restrictions or use of disincentives such as increased water tariffs in order to reduce current levels of demand;
- 95.2 instituting water conservation and demand management programmes in the catchment in order to reduce overall abstraction and ensure that more water is available for the wetland ecosystem;
- 95.3 structural options such as building a dam to store water and make dedicated releases for a wetland ecosystem or inter-basin transfer of water;

- 95.4 rehabilitation of degraded catchment areas, prevention of soil erosion, and removal of alien vegetation which reduces runoff.
96. The costs of technological alternatives must be taken into consideration and weighed against the benefits they will generate, in terms of the overall economic welfare of people in the catchment. It is important to recognize that some technologies employed in developed countries may not be sustainable in a developing country context.

Capacity for implementation

97. The available capacity, including resources for implementation, must also be considered when developing an implementation strategy. For example, there would be little value in developing a complex water use licensing and control system if there were insufficient organizational capacity to monitor and enforce license conditions. In such a case, introducing education and awareness programmes and incentives for water conservation may be far more effective in making the necessary water available to meet the allocation for the wetland ecosystem.

6.2 Monitoring and information

98. Establishing a monitoring regime is an essential part of implementing a changed water allocation to a wetland ecosystem. Implementation can be successful only if it is based on sound information, the results of monitoring assessed to establish the success of the implementation in achieving its objectives, and as necessary adjusting the implementation programme. Further Ramsar guidance on establishing a monitoring programme for a wetland ecosystem is available in Resolutions VI.1 and VIII.14.
99. Information requirements for implementation include those related to:
- hydrology, to ensure that the water allocation is being delivered as it was designed;
 - water quality;
 - ecological character, in order to ascertain and monitor the response of the wetland ecosystem to the new flow regime;
 - water use and the compliance of water users with any licence conditions; and
 - economic well-being of water users and stakeholders, in order to ensure that the costs and benefits of implementing the water allocation are equitably distributed.
100. The water allocation for a wetland ecosystem is usually designed to mimic, as closely as possible, the natural flow regime. In a regulated catchment, where flow releases for wetland ecosystems are made from dams, it is critical that the timing of the flow releases is close to natural, especially for the small and medium-sized floods which provide important cues for ecological processes such as migration and spawning. Thus real-time monitoring of rainfall and/or flows at an unimpacted site upstream of the point from which the releases are made is usually necessary, in order to match the timing of the releases with the flows which would have been observed under natural, unregulated conditions. If an unimpacted upstream site cannot be found, then it may be appropriate to use an equivalent site in a neighbouring catchment for this purpose.

6.3 The need for an adaptive approach

101. Determination of the water requirements of wetland ecosystems is usually based on the best available information and knowledge, but even with such knowledge it is seldom possible to predict accurately the response of a wetland ecosystem to changes in the flow regime or the water quality regime. Hence it is necessary when developing implementation strategies to allow for an adaptive approach to be taken, whereby the water allocation is implemented, the response of the system is monitored over time, and this is followed by regular review of the new information and modification of the flow regime or water quality regime if this is shown to be necessary.

7. Management tools for the implementation of water allocations to wetland ecosystems

102. Traditionally, water resource management has dealt primarily with the development of the water resources, usually to supply water of a given quality where it was needed, on demand. This approach is based on the assumption that water is an infinite resource, which is clearly not the case in many catchments.
103. Water resource management now must be approached from the perspective that freshwater is a finite resource, and that the demands on freshwater are ever increasing. Furthermore, water is itself only one component of a large and complex catchment ecosystem. It is this ecosystem which provides us not only with the water, but also with many other goods and services. In order to ensure the sustainability of this ecosystem, the demands on water require increased management through the introduction of carefully designed policy and regulatory measures.
104. Introducing water allocations for wetlands can be logistically simpler in a river or inland water system which is already regulated than in an unregulated river, especially when there are significant demands on the water resource for offstream utilization. In regulated flow situations, appropriate operating rules for dams and other flow control structures can be put in place and implemented by the responsible management agency. In particular, abstractions and discharges particularly can be more strictly controlled and monitored through formal authorizations and/or licences.
105. This situation represents supply-side management, whereby the impacts of people's activities and demands on a wetland ecosystem can, to a degree, be ameliorated by the technology inherent in physical structures and treatment works. However, there are significant disadvantages to this approach, since to be successful it requires well-maintained infrastructure that can provide for the necessary flow releases; capacity and skills to operate the infrastructure correctly; and sophisticated real-time hydrological monitoring networks.

7.1 Demand-side management

106. In a situation where flows are unregulated, and in particular where real-time monitoring of abstractions and instream flows is not possible, demand-side management must be applied. Even though licensing procedures may be in

place to control land-based impacts on wetlands, without the ability to make dedicated flow releases it still may be difficult to ensure that the required water quantity and water quality are made available for protection and maintenance of wetland ecosystems.

107. For demand-side management, the management emphasis must shift to managing, at their origin, the offstream demands and land-based impacts on water. The major advantage of demand-side management is that it can make more water available for allocation to wetland ecosystems through reduction of offstream demands, rather than relying on new or expanded water resource developments to provide sufficient water to meet the needs of both wetland ecosystems and offstream users.
108. Although demand-side management is becoming more important as the limits of available freshwater resources are reached in an increasing number of catchments, there often remains a need to balance the two types of measures (supply-side and demand-side). Some options are described in the following sections.
109. Offstream water usage and the impacts of instream or non-consumptive water use need to be minimized, in order to ensure that wetland ecosystems are not compromised to the point where they fail or are irreversibly damaged. This can be achieved through improved local and regional planning to devote increased attention to demand management.



The European Space Agency's Globwetland project is producing satellite-derived and geo-referenced products for 50 Ramsar sites around the world, developing new Earth Observation tools to help the managers of Ramsar sites and other wetlands monitor ecosystem changes and assess water allocation needs. The Iberian peninsula from the MERIS satellite, 2002. Photo: courtesy ESA. http://www.esa.int/esaCP/SEM0PFXLDMD_index_0.html.

Case Study 9

Impacts of catchment drainage - the example of Wicken Fen

Much of the catchment of the River Ouse in eastern England was formerly fenland with seasonally inundated floodplains and permanent areas of open water reeds and raised mires. Drainage of the catchment over the past few hundred years for intensive agriculture has led to a lowering of the landscape by several metres through drying and loss of peat soils. The remaining wetlands have been left elevated above the surrounding landscape and are very vulnerable to drainage and groundwater pumping in the adjacent farmland.

Wicken Fen, a national nature reserve for over 100 years, is now some two metres above the surrounding farmland. The Fen is of high conservation value because of its unique and rich biodiversity and has been designated a Wetland of International Importance under the Ramsar Convention. In an attempt to stop drainage from the Fen into the surrounding low-lying farmland, an impermeable polythene membrane was installed along the perimeter of the Fen in the 1980s. As a mitigation measure this has been reasonably successful but, partly because of its relatively small size, the Fen remains very vulnerable to changes in rainfall, river flows, and groundwater levels.

110. Rather than being allocated to solutions involving, for example, construction of further water control infrastructure, resources should be redirected to supporting change, for example, in agricultural practices, such as using irrigation systems requiring far less use of water (drip rather than sprinkler irrigation, for instance). Furthermore, funds should be used to strengthen the functions of ecosystems which provide goods and services for human benefit, such as the use of wetlands for water purification or flood control.
111. The conservation and management of existing freshwater ecosystems should be the priority, as the benefits provided by these are in most cases superior to those of created or restored freshwater ecosystems, as well as being far less costly (see also further Ramsar guidance on wetland restoration in Resolution VIII.16).
112. Generally, water conservation and demand management interventions need to be made on at least three levels for an overall demand management strategy to be successful³⁸:
 - at catchment level, in order to achieve the most efficient allocations between and within major water user sectors;
 - at sectoral level, in order to maximize the productive use of water and to minimize unproductive losses in production and/or delivery processes within each water user sector; and
 - at end-user level, in order to maximize the efficiency and care with which water is used by individual consumers or end-users.
113. Actions concerning water conservation and demand management can be split into three broad approaches: catchment management, the application

³⁸ DWAF (2000). Water Conservation and Demand Management: Draft Strategy for the Forestry Sector. Department of Water Affairs and Forestry, Pretoria, South Africa.

of technology, and the management of people. Each of these is further described below.

Catchment management

114. It is becoming increasingly recognized that the most appropriate scale in which to apply integrated water resource management so as to ensure appropriate water allocations to wetland ecosystems is that of the catchment – often, but not always, a river basin from the source of the river to the sea. The Convention's *Consolidated Guidance for integrating wetland conservation and wise use into river basin management* (Resolution X.19) and *New guidelines for management planning for Ramsar sites and other wetlands* (Resolution VIII.14) provide further information on linking wetlands and catchment management.
115. Sound catchment management procedures, which are based on an ecosystem approach and which include the wise use of wetland ecosystems within a catchment, can improve the quality of existing water resources, and can improve the assurance of flows and patterns of water availability, without necessarily requiring expensive structural or supply-side interventions (see also Case Study 9).
116. It is important to remember that water resource management at the scale of a catchment should not only address managing the wet parts of the system (rivers, lakes and other wetlands) but also needs to incorporate the appropriate management of terrestrial ecosystems, since inappropriate activities in these systems can impact on water management. For example, in South Africa, afforestation of grasslands with commercial plantations of alien woody species has been shown to reduce surface runoff significantly. These plantations have also led to a draw-down in the groundwater table, resulting in peatlands drying out and becoming vulnerable to fire and causing the failure of shallow wells used by local communities. Conversely, in Australia, where woodlands have been removed and replaced with cereal crops, the groundwater table has subsequently risen leading to salinization of soils and water in the catchment.
117. At catchment level, strategic environmental assessment (SEA) approaches should be followed in determining water allocations between major water user sectors, in order to identify the most efficient allocations of water between and within sectors, taking account of environmental, economic and social factors. Ideally, activities which reduce runoff or cause changes in hydrology, such as commercial forestry, should be considered as water uses and managed as such to ensure truly integrated catchment management.
118. For catchment management to be effective in fully integrating the conservation and wise use of wetlands and the promotion of demand management, those responsible for integrating the management of catchments and wetlands should ensure that the following actions are undertaken:
 - 118.1 integrate wetland conservation and wise use into river basin management, utilizing the guidelines provided in the Annex to Resolution [X.19];

See also Handbooks 9, River basin management, and 18, Managing wetlands

- 118.2 develop strategies to ensure that the use and management of water resources promote the protection of wetland ecosystems and their biodiversity;
- 118.3 strengthen the water conservation and demand management components of catchment management strategies or plans;
- 118.4 ensure that policy and planning recognize land-based activities, such as those which reduce streamflow or those which cause diffuse pollution on the catchment surface, as also being uses of water resources;
- 118.5 apply strategic environmental assessment (SEA) approaches in using environmental, economic and social criteria to determine the most efficient allocation of water between and within water user sectors in a catchment;
- 118.6 establish the benefits of wetlands to society by determining the economic value of wetlands, their functions and attributes, and incorporating these values into planning decisions;
- 118.7 promote inter-sectoral cooperation and coordination between the ministries of environment, water resources, and other interested public utilities and institutions;
- 118.8 identify and evaluate methods and initiatives that increase the yield of water resources without causing damage to or degradation of wetland ecosystems;



Photo: Etienne Delacrétaz

- 118.9 restore, where possible, ecosystems that have previously been adversely affected by inappropriate water resource management practices;
- 118.10 develop regulations for water use that recognize the need to ensure the protection and sustainability of wetland ecosystems; and
- 118.11 include experienced aquatic ecologists on the staff of water management institutions and agencies.

Technology

- 119. Technological interventions relate mostly to water conservation, and particularly to water savings. There are many examples of existing and new technologies which can provide substantial water savings and contribute to the success of water demand management programmes, hence increasing the potential for making water available to maintain wetland ecosystem functions. Examples of different categories of such technologies are outlined below.

Maintenance of existing infrastructure

- 120. Significant water savings can often be effected in the short term, and with little additional capital cost, simply through ensuring the effective management and maintenance of existing water storage and supply infrastructure. A 1997 UNEP report³⁹ indicates that a decrease of 30%-40% in water consumption can be obtained by improving leak detection and maintenance and installing water meters. In urban areas, significant losses of water occur through undetected leaks, leaks which are not repaired quickly, and illegal connections to water supplies.
- 121. Another significant source of water loss is through evaporation from open reservoirs or open canals. Proper design of storage reservoirs can minimize evaporation losses, whilst the covering, where possible, of open water supply canals and the impervious lining of canals can also reduce water losses due to evaporation, seepage and evapotranspiration.

Water conservation practices in the domestic sector

- 122. At the end-user level, changes in behavioural practices can be effected through education programmes and appropriate pricing of water. There are a number of changes which can be made to domestic plumbing which, for an initial one-off capital outlay, can lead to significant and sustained reductions in water use. These include low-flush or no-flush toilets, toilet tank volume displacement devices, low-flow showerheads, faucet aerators, and pressure reduction devices.
- 123. Where dual water systems can be provided, then grey water (i.e. recycled wastewater such as that used for washing) rather than the incoming purified water supply can be used for watering gardens and lawns. Changes to

³⁹ UNEP (1997). Source book of alternative technologies for freshwater augmentation in Latin America and the Caribbean. United Nations Environment Programme International Environmental Technology Centre. <http://www.oas.org/dsd/publications/Unit/oea59e/oea59e.pdf>

building regulations and their equivalents can help to ensure that the best available water-efficient technology is used in all new buildings.

Water conservation practices in the agricultural sector

124. Irrigation agriculture is one of the largest water use sectors in the world, using up to two-thirds of all freshwater removed from rivers, streams, lakes and aquifers⁴⁰. In many countries, irrigation is still carried out by age-old gravity-fed techniques, channeling water through furrows into flood basins. Lining of furrows, canals and reservoirs with clay or plastic, and proper scheduling of irrigation according to soil moisture levels, can still lead to significant savings even with these relatively low-technology irrigation methods.



Irrigation in intensive agriculture. Photo: Key Photos.

125. Elsewhere, changing from high-volume sprinkler or overhead irrigation to low-volume techniques such as drip or microjet irrigation requires high initial capital outlay but yields substantial water savings and improved crop yields. With careful management and proper treatment, recycled wastewater can be used to irrigate certain crops.
126. In arid regions, planting of drought-tolerant crops or crops suited to the seasonal rainfall regime reduces reliance on irrigation water and also reduces crop losses in dry years. Seasonal rainfall forecasting techniques are now being developed to allow farmers to manage their crop selection according to projected seasonal rainfall²⁸.

Water conservation practices in the industrial sector

127. Industry accounts for nearly a quarter of the world's water use. In the industrial sector, water is generally used either in production or in cooling processes. Experience has shown that a strong policy environment is usually most effective in promoting water savings in industry: appropriate tariff policies and load-based charges or restrictions on waste discharges can encourage significant water savings. Options for water saving in industry include the introduction of closed-loop technologies and the use of recycled water in both production and cooling.

Alternative sources of water

⁴⁰ Postel S (1997). *The Last Oasis – Facing Water Scarcity*. Worldwatch Environmental Alert Series, Norton, New York.

128. In water-scarce areas, where communities may not be located near a water source or near supply infrastructure, there are a number of alternative solutions which can be used to augment freshwater supplies. These include:
 - 128.1 rainwater harvesting, where each household collects roof water and runoff water in drums, tanks or reservoirs;
 - 128.2 fog harvesting, especially in arid western boundary current regions such as the west coasts of Namibia and Chile, which can yield up to 3 litres of water per day per square metre of collecting mesh;
 - 128.3 aquifer recharge, which recharges groundwater supplies, can improve water quality and reduce evaporation losses from surface storage;
 - 128.4 desalination of seawater for coastal towns and cities, still a relatively expensive technology (costs range from US\$1 to US\$4.30 per cubic metre), but which is increasingly used to supplement public water supplies; and
 - 128.5 “Virtual” water, whereby water-scarce countries import water-hungry products from areas where water is plentiful rather than producing these products themselves, although this requires regional economic and political stability to be successful in the long term.
129. To minimize water use through the application of technologies for water conservation and demand management, the following actions should be undertaken:

Increasing stakeholder awareness of sustainable water resource management

130. The success of putting in place measures to reduce or minimize water use, and to allocate water to wetland ecosystems, will depend on the understanding and support of those people who will be affected by any new management intervention.
131. In many situations, and especially where water resources are already heavily utilized, there may be resistance from people who are reluctant to change the ways in which they use water in order to make more water available or to reserve water for protection of wetland ecosystems. Gaining people’s acceptance and support for change is dependent upon their awareness of the issues involved, and of what costs or benefits exist for them. Therefore allocation of water and its management for maintaining ecosystems relies upon comprehensive education programmes; on the correct incentives being available; on the perception that equitable benefits are being shared; and on achieving a common understanding of what the ecosystems provide, and hence the state in which they should be maintained.
132. To increase public and stakeholder awareness through the promotion of water conservation and demand management, the following actions should be undertaken:
 - 132.1 follow an integrated least-cost planning approach (Integrated Resource Planning) in developing linked strategies for water resource management and water service delivery;

See also Handbook 6,
Wetland CEPA

- 132.2 create a culture of water demand management amongst all consumers and water users through national education and awareness programmes;
- 132.3 ensure the implementation of water demand management principles within all water management and water services institutions;
- 132.4 ensure that tariffs implemented by water institutions promote water demand management and water conservation;
- 132.5 promote the development of new technologies that enhance water savings and demand management;
- 132.6 develop policies for water institutions that will allow the funding of water demand management initiatives;
- 132.7 introduce regulations that limit the wastage and inefficient use of water in all sectors;
- 132.8 develop incentives and rewards for water conservation and demand management initiatives; and
- 132.9 make reporting on water conservation and demand management an integral part of environmental or general business reporting for all public sector and parastatal institutions and for bulk water users in the private sector.

7.2 Supply-side management

- 133. Supply-side management refers to mitigation of the impacts of water use on wetland ecosystems through interventions which are targeted at the supply side, i.e., between the source of impact and the wetland ecosystem itself, rather than attempting to change the water use itself or the impacts of that use. In almost all cases, supply-side interventions are expensive and technically demanding, but do have their place in managing water allocations for wetland ecosystems.
- 134. In a river basin which is already regulated, dams and flow control structures may be in place, and offstream water uses may have become well established over the years, but without making allowance for the water required for wetland ecosystems. In such cases, by modifying current release patterns and levels of assurance it may be possible to make releases from dams specifically for ecological purposes while still meeting the demands of offstream users. In some rare cases, a dam might even be decommissioned, especially if it is nearing the end of its lifetime and its storage capacity is no longer needed. This is already happening to some older dams in the United States of America.
- 135. Frequently, however, existing dams remain necessary, but may not have been designed to allow release of larger flows such as those required for scouring floods, or do not have variable-level outlets to prevent release of anoxic bottom water. In cases where the physical operating constraints do not allow the full implementation of the required flow regime that has been determined for a wetland ecosystem, then a flow management plan can be put in place. A flow management plan represents the best that can be done

towards providing more natural flows to restore some (but not all) wetland ecosystem functions, within the constraints of the existing infrastructure.

136. If offstream demands cannot be reduced so as to make water available for wetland ecosystems, then inter-basin transfers can be considered, where water is imported from another catchment to meet the combined needs of the water users and the wetland ecosystem in the recipient catchment. However, there are significant disadvantages to this strategy, including the potential negative impacts on wetland ecosystems in the donor catchment through loss of flows, and the potential contamination of the recipient catchment with water of a different quality, foreign genetic material, and/or invasive alien species.
137. In cases where water quality has become degraded, it is sometimes possible to divert streamflow or abstract groundwater for treatment and then return the treated water to its original water body. For example, in the restoration of the Nardemeer and Nieuwkoopse Plassen wetlands in the Netherlands, inflowing water is subjected to pre-treatment to remove phosphate, and wetland sediments are being dredged and treated to remove contaminants which have been deposited there over the years due to polluted inflow. However, this intensive approach is only usually practical with small streams and low volumes of water.
138. Finally, another supply-side management option for a degraded water supply is to import or transfer better quality water to be blended with water of poor quality. This option is sometimes used in the management of salinisation of water resources caused, for example, by irrigation return flows. However, the use of clean water to dilute polluted water is not consistent with the principles of wise use, and should be considered only if a proper valuation process indicates this to be the most cost-effective solution to a pollution problem.

Relevant Resolution

Resolution VIII.1⁴¹

(adopted by the 8th Conference of the Contracting Parties, Valencia, Spain, 2002)

Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands

1. AWARE of the Preamble to the Articles of the Convention, which recognizes the fundamental ecological functions of wetlands as regulators of water regimes and as habitats supporting a characteristic flora and fauna, especially waterfowl;
2. RECALLING Resolution VI.23, which identified reconciling water management and wetland conservation as a key challenge for the Convention in the 21st century;
3. ALSO RECALLING Resolution VII.18, which requested the Scientific and Technical Review Panel (STRP) to review the current state of knowledge in the area of allocation and management of water to maintain wetland ecosystem functions, and to report to COP8 on its findings, and if possible to provide guidance for the Contracting Parties on this subject;
4. NOTING Decision IV/4 of the Convention on Biological Diversity (CBD), which identified the Ramsar Convention as its lead partner for actions concerning the conservation and wise use of wetlands, and particularly inland water ecosystems, including actions concerning the allocation and management of water for the maintenance of inland waters biodiversity;
5. NOTING ALSO the development, under the CBD/Ramsar Joint Work Plan 2000-2002, of the River Basin Initiative (RBI), which is designed to provide improved exchange of information and experience in the incorporation of wetlands and biodiversity issues into river basin management, and which is establishing linkages between wetlands, biodiversity and water management bodies that promote integrated water resource management;
6. AWARE of the Report of the World Commission on Dams, which includes information on the evaluation and assessment of water allocations, and specifically on environmental flow releases from dams, in the decision-making process for large dams, and of Resolution VIII.2 on the same subject adopted by this meeting;
7. RECOGNIZING the vital contribution made by wetlands on many occasions to ensure the allocation of water required for human well-being, including food and water security, and in flood control and poverty alleviation; but ALSO AWARE of the increasing demands being placed upon freshwater resources in many parts of the world and the threat this poses for maintaining wetland ecosystem functions and their biodiversity;
8. FURTHER AWARE of the importance placed on freshwater resources in the United Nations Special Session of the General Assembly to review and appraise the implementation of Agenda 21, and in the subsequent Commission on Sustainable Development meeting in May 1998, which as part of its report relating to Strategic Approaches to Fresh Water Management recommended support for the implementation, *inter alia*, of the Ramsar Convention;
9. RECOGNIZING that, in Technical Session 1, this meeting of the Conference of the Contracting Parties has considered and discussed the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands*;

41 Turkey entered a reservation to the adoption by consensus of this Resolution. The text of the reservation appears in paragraph 83 of the COP8 Conference Report.

10. NOTING that additional technical guidance, including case studies, on the use of tools and methodologies for the allocation and management of water for maintaining wetland ecosystem functions has been prepared by the STRP and was available to this meeting of the Conference as an information document (COP8 DOC. 9);
11. REALIZING that a number of related decisions have been adopted previously which provide guidance for the Contracting Parties on wetland policy formulation (Resolution VII.6), reviewing laws and institutions (Resolution VII.7), involving local communities and indigenous people in wetland management (Resolution VII.8), promoting communication, education and public awareness related to wetlands (Resolution VII.9), incentives (Resolution VII.15), impact assessment (Resolution VII.16), wetland restoration as part of national planning (Resolution VII.17), and international cooperation under the Ramsar Convention (Resolution VII.19), all of which are relevant to the process of the allocation and management of water for maintaining the ecological functions of wetlands;
12. REALIZING ALSO that this meeting of the Conference has adopted further guidance that is relevant to the allocation and management of water for maintaining the ecological functions of wetlands, notably the *New Guidelines for management planning for Ramsar sites and other wetlands* (Resolution VIII.14), *Principles and guidelines for wetland restoration* (Resolution VIII.16), impact assessment (Resolution VIII.9), *Agriculture, wetlands and water resource management* (Resolution VIII.34), *The impact of natural disasters, particularly drought, on wetland ecosystems* (Resolution VIII.35), and *Guidelines for rendering the use of groundwater compatible with the conservation of wetlands* (Resolution VIII.40); and
13. GRATEFUL to the Government of the United States of America for its financial contribution to the work of the STRP which allowed, *inter alia*, the preparation of the guidelines and background document on water allocation and management;

THE CONFERENCE OF THE CONTRACTING PARTIES

14. ADOPTS the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands*, as annexed to this Resolution, and URGES all Contracting Parties to give priority to their application, adapting them as necessary to suit national conditions and circumstances;
15. ALSO URGES all Contracting Parties to utilize the additional guidance on tools and methodologies for the allocation and management of water for maintaining ecological functions available as an information document for this meeting of the Conference (Ramsar COP8 DOC. 9), and to take into account the relevant guidance and information, particularly on the environmental flow releases from dams, including information contained in the Report of the World Commission on Dams;
16. STRONGLY URGES all Contracting Parties to bring the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands* and the additional guidance on tools and methodologies to the attention of their national ministries and/or agencies (at different levels of territorial organization) responsible for water resource management, to encourage these bodies to apply the guidance in order to ensure appropriate allocation and management of water for maintaining the ecological functions of wetlands in their territory, and to ensure that the principles contained in the Ramsar Guidelines are incorporated into their national policies on water and on wetlands;
17. FURTHER URGES Contracting Parties to include representatives of national water management ministries and/or agencies in the membership of their National Ramsar/Wetland Committees;

18. ENCOURAGES Contracting Parties with wetlands lying in shared river basins to work cooperatively to apply the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands* within the context of the management of water allocations in transboundary basins, making use of the *Ramsar Guidelines for international cooperation under the Convention* (Resolution VII.19);
19. REQUESTS the Scientific and Technical Review Panel to review the role of wetlands in groundwater recharge and storage and of groundwater in maintaining the ecological character of wetlands, as well as the impacts of groundwater abstraction on wetlands, and to report to COP9 including, as appropriate, with guidelines for Contracting Parties on these matters;
20. DIRECTS the Ramsar Bureau, working with the secretariat of the Convention on Biological Diversity, to bring the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands* to the attention of other water management organizations, relevant regional institutions, river basin authorities and commissions, and other interested parties and organizations, using the partnership mechanisms established through the joint Ramsar/CBD River Basin Initiative (RBI) for this purpose;
21. REQUESTS the Ramsar Bureau to work with the secretariat of the Third World Water Forum (Japan, 2003) to ensure that the critical importance of the goods and services provided by wetlands for water management, and the *Guidelines for allocation and management of water for maintaining the ecological functions of wetlands*, are fully recognized and debated during the Third World Water Forum;
22. FURTHER REQUESTS the Ramsar Bureau to make available the guidance adopted by this Resolution to the subsidiary bodies and Contracting Parties of other multilateral environmental agreements (MEAs), and in particular to the CBD's Subsidiary Body for Scientific, Technical and Technological Advice (SBSTTA) with regard to the maintenance of the biodiversity of inland waters, and to the UN Convention to Combat Desertification's Committee on Science and Technology (CST) with regard to the critical issue of water management for wetlands in drylands;
23. URGES multilateral and bilateral donors to ensure that the allocation and management of water for maintaining the ecological functions and production potential of wetlands is fully addressed in the design, planning and implementation of river basin and water resource management projects, taking into account the special circumstances and constraints of the concerned countries; and
24. ENCOURAGES Contracting Parties and other interested organizations to develop projects and other activities that promote and demonstrate good practice in water allocation and management for maintaining the ecological functions of wetlands, to make such good practice examples available to others through the information exchange mechanisms of the Ramsar/CBD River Basin Initiative, and to report to COP9 on the successes achieved and lessons learned from these activities.

The Ramsar Convention 'toolkit' for the conservation and wise use of wetlands, 4th ed. (2010)

Convention pillar 1: Wise Use

Handbook 1	Wise use of wetlands Concepts and approaches for the wise use of wetlands
Handbook 2	National Wetland Policies Developing and implementing National Wetland Policies
Handbook 3	Laws and institutions Reviewing laws and institutions to promote the conservation and wise use of wetlands
Handbook 4	Avian influenza and wetlands Guidance on control of and responses to highly pathogenic avian influenza
Handbook 5	Partnerships Key partnerships for implementation of the Ramsar Convention
Handbook 6	Wetland CEPA The Convention's Programme on communication, education, participation, and public awareness (CEPA) 2009-2015
Handbook 7	Participatory skills Establishing and strengthening local communities' and indigenous people's participation in the management of wetlands
Handbook 8	Water-related guidance An Integrated Framework for the Convention's water-related guidance
Handbook 9	River basin management Integrating wetland conservation and wise use into river basin management
Handbook 10	Water allocation and management Guidelines for the allocation and management of water for maintaining the ecological functions of wetlands
Handbook 11	Managing groundwater Managing groundwater to maintain wetland ecological character
Handbook 12	Coastal management Wetland issues in Integrated Coastal Zone Management
Handbook 13	Inventory, assessment, and monitoring An Integrated Framework for wetland inventory, assessment, and monitoring
Handbook 14	Data and information needs A Framework for Ramsar data and information needs
Handbook 15	Wetland inventory A Ramsar framework for wetland inventory and ecological character description
Handbook 16	Impact assessment Guidelines on biodiversity-inclusive environmental impact assessment and strategic environmental assessment
Convention pillar 2: Ramsar sites designation and management	
Handbook 17	Designating Ramsar Sites Strategic Framework and guidelines for the future development of the List of Wetlands of International Importance
Handbook 18	Managing wetlands Frameworks for managing Ramsar Sites and other wetlands
Handbook 19	Addressing change in wetland ecological character
Convention pillar 3: International cooperation	
Handbook 20	International cooperation Guidelines and other support for international cooperation under the Ramsar Convention on Wetlands
Companion document	
Handbook 21	The Ramsar Convention Strategic Plan 2009-2015 Goals, strategies, and expectations for the Ramsar Convention's implementation for the period 2009 to 2015

Ramsar
Handbooks
4th edition

Handbook 10

Water allocation and management



Ramsar Convention Secretariat
Rue Mauverney 28
CH-1196 Gland, Switzerland
Tel: +41 22 999 0170
E-mail: ramsar@ramsar.org
Web: <http://www.ramsar.org>

